

# Gigaset

S790 - S795

**Issued by**

Gigaset Communications GmbH  
Frankenstr. 2a, D-46395 Bocholt

Manufactured by Gigaset Communications GmbH  
under trademark license of Siemens AG.

As of 1 Oct. 2011 Gigaset products bearing the  
trademark 'Siemens' will exclusively use the trademark 'Gigaset'.

**© Gigaset Communications GmbH 2010**

All rights reserved. Subject to availability.  
Rights of modification reserved.

[www.gigaset.com](http://www.gigaset.com)

GIGASET. INSPIRING CONVERSATION.  
MADE IN GERMANY

SIEMENS

## **Gigaset S790/S795 – more than just a telephone**

---

Your telephone sets new standards for the way you communicate at home.

The configuration and user interface of the cordless phone are excellent, providing you with first-class voice quality in speaker mode, while the USB port offers you enormous flexibility.

The large TFT display, user-friendly keypad and clearly laid out menu are very simple to use.

Your phone can do a whole lot more:


- U You can synchronise your directories on your telephone, mobile phone and PC via the USB port using the Gigaset QuickSync software (☞ page 79).
- U You can save appointments (☞ page 55) and anniversaries, e.g., birthdays (☞ page 34), in your phone and it will remind you of them in advance.
- U You can designate important people as VIPs to identify important calls from the ringtone (☞ page 32).
- U You can assign a picture to entries in the directory – in future the picture will appear every time you receive a call from this number (☞ page 32).
- U If you do not want to take calls where the caller has withheld their number, just set your handset to only ring if Calling Line Identification has not been withheld (☞ page 66).
- U If you do not wish to be disturbed, you can simply set up a time control so that your phone will only ring when it is convenient (☞ page 66). VIP calls are still connected.
- U You can assign important numbers to the number keys on your phone. The number is then dialled by simply pressing a key (☞ page 62).
- U Adapt your Gigaset to suit your handsfree requirements (☞ page 65).
- U View your personal pictures as a screensaver slide show (☞ page 63).
- U You can set the display to large font to increase readability in particularly important situations (e.g., the directory and lists) (☞ page 64).
- U You can adapt the menu display to suit your individual requirements so that only the most important functions (**standard mode**) or all functions (**expert mode** ● ) are displayed (☞ page 25). Menu options that are only available in expert mode are marked with the ● icon.
- U Gigaset Green Home – Be environmentally aware when using your phone. Details about our ECO DECT products can be found at [www.gigaset.com/customercare](http://www.gigaset.com/customercare).

You can find additional information about your phone at [www.gigaset.com/gigasetS790](http://www.gigaset.com/gigasetS790).

**Have fun using your new phone!**

The handset at a glance

## The handset at a glance



- 1 Display in idle status
- 2 Battery charge status (☞ page 16)
- 3 Side keys  
Set call (☞ page 65) or ringtone volume (☞ page 65)



- 4 Display keys (☞ page 20)
- 5 Message key (☞ page 37)  
Access to call and message lists;  
Flashes: new message or new call
- 6 End call key, On/Off key  
End call, cancel function, go back one menu level (press briefly), back to idle status (press and hold), activate/deactivate handset (press and hold in idle status)
- 7 Hash key  
Keypad lock on/off (press and hold in idle status);  
toggles between upper/lower case and digits
- 8 Mute key (☞ page 29)  
Mute the microphone
- 9 Microphone
- 10 Recall key  
- Consultation call (flash)  
- Insert a dialling pause (press and hold)
- 11 Star key  
Ringtone on/off (press and hold);  
with an open connection: switch between pulse dialling/tone dialling (press briefly);  
text input: open table of special characters
- 12 Headset socket (☞ page 17)
- 13 Key 1  
Dial answering machine (5795 only)/network mailbox (press and hold)
- 14 Talk key  
Flashes: incoming call;  
Accept a call; open redial list (press briefly);  
start dialling (press and hold);  
When writing an SMS: send SMS
- 15 Speaker key  
Switch between earpiece and speaker mode
- 16 Control key (☞ page 19)
- 17 Signal strength (☞ page 16)  
Green: Eco Mode (☞ page 54) activated
- 18 Answering machine symbol (5795 only)  
Answering machine switched on;  
Flashes: answering machine is recording a message or is being operated by another internal party


## Gigaset service contact numbers:

For personal advice on our range of products and for repairs or guarantee/warranty claims call:


Service Centre UK: **08453 6708 12**  
(local call cost charge)

## Display symbols

The following symbols are displayed dependent on the settings and the operating status of your telephone:



### Signalling




The base at a glance

## The base at a glance

You can use the keys on the base to register handsets to the base, search for handsets (paging), (☒ page 58) and operate the integrated answering machine (Gigaset S795 only).

### Gigaset S795 base



#### 1 Registration/Paging key

Press **briefly**: search for handsets (paging) (☒ page 58).

Press and **hold**: register handsets and DECT devices (☒ page 58).

#### 2 On/Off key

Activating/deactivating the answering machine.

#### 3 Display

**Lights up**: answering machine is activated. The number of saved messages is displayed. **00 flashes**: the answering machine is recording a new message.

**Flashes slowly**: there are new messages. The number of new messages is displayed.

**99 flashes quickly**: the answering machine is full.

### During message playback:

#### 4 Play/Stop key

Play back new messages from answering machine or cancel playback (press **briefly**). Play back new and old messages (press and **hold**).

5 Skip to next message (press once) or skip ahead two messages (press twice).

6 Skip back five seconds (press **briefly** once), skip back to the beginning of the message (press and **hold**) or skip back to the previous message (press twice).

7 Delete current message.

8 Adjust volume during message playback: - = quieter; 0 = louder. While an external call is being signalled: adjust ringtone volume.

#### Please note:

If the answering machine is being operated from a handset or if it is recording a message (00 flashes), it cannot be operated from the base at the same time.

### Gigaset S790 base



#### Registration/Paging key

– Press **briefly**: search for handsets (paging) (☒ page 58).

– Press and **hold**: register handsets and DECT devices (☒ page 58).

# Contents

---

Gigaset S790/S795 – more than just a telephone .....	1
The handset at a glance .....	2
Display symbols .....	3
The base at a glance .....	4
<b>Safety precautions</b> .....	<b>8</b>
<b>First steps</b> .....	<b>9</b>
Checking the package contents .....	9
Setting up the base and charger (if included) .....	10
Connecting the base .....	10
Connecting the charger (if included) .....	11
Setting up the handset for use .....	12
Setting the date and time .....	15
Connecting the headset .....	17
Connecting the USB data cable .....	17
What would you like to do next? .....	18
<b>Using the phone</b> .....	<b>19</b>
Control key .....	19
Display keys .....	20
Keys on the keypad .....	20
Side keys .....	20
Correcting incorrect entries .....	20
Using the menus .....	21
Activating/deactivating the handset .....	22
Activating/deactivating the keypad lock .....	22
Using this guide .....	23
<b>Menu overview</b> .....	<b>25</b>
<b>Making calls</b> .....	<b>28</b>
Making an external call .....	28
Ending a call .....	28
Accepting a call .....	28
Calling Line Identification .....	28
Speaker mode .....	29
Switching to mute .....	29
<b>Making calls using network services</b> .....	<b>30</b>
Calling Line Identification .....	30
Ringback .....	30
Call waiting during an external call .....	30
Call divert (CD) .....	31
Consultation call, call swap .....	31

<b>Using the directory and lists</b> .....	<b>32</b>
Directory .....	32
Redial list .....	35
Incoming SMS message list .....	36
Answering machine list (Gigaset S795 only) .....	36
Call lists .....	36
Opening lists with the message key .....	37
List of missed alarms .....	38
<b>Making cost-effective calls</b> .....	<b>38</b>
Automatic network provider code (preselection) .....	38
<b>SMS (text messages)</b> .....	<b>40</b>
Writing/sending an SMS .....	40
Receiving an SMS .....	41
SMS with vCard .....	43
Notification via SMS .....	43
SMS mailboxes .....	43
Setting SMS centres .....	44
SMS on a PABX .....	45
Activating/deactivating SMS function .....	45
SMS troubleshooting .....	46
<b>Operating the Gigaset S795 base answering machine</b> .....	<b>47</b>
Operating via the handset .....	47
Activating/deactivating call screening .....	50
Setting the recording parameters .....	50
Resetting fast access for the answering machine using key 1 .....	51
Operating when on the move (remote operation) .....	51
<b>Using the network mailbox</b> .....	<b>53</b>
Configuring fast access for the network mailbox .....	53
Viewing the network mailbox message .....	53
<b>ECO DECT</b> .....	<b>54</b>
<b>Setting an appointment (calendar)</b> .....	<b>55</b>
Displaying missed appointments, anniversaries .....	56
<b>Setting the alarm clock</b> .....	<b>57</b>
<b>Using multiple handsets</b> .....	<b>58</b>
Registering handsets .....	58
De-registering handsets .....	58
Locating a handset ("Paging") .....	58
Changing the base .....	59
Making internal calls .....	59
Listening in to an external call .....	60
Changing the name of a handset .....	60
Changing a handset's internal number .....	61

## Contents

<b>Using a handset as a room monitor</b> .....	<b>61</b>
<b>Handset settings</b> .....	<b>62</b>
Quick access to numbers and functions .....	62
Changing the display language .....	63
Setting the display .....	63
Setting keypad illumination .....	64
Activating/deactivating auto answer .....	64
Changing the speaker/earpiece volume .....	65
Setting a handsfree profile .....	65
Changing ringtones .....	65
Resource Directory .....	67
Activating/deactivating advisory tones .....	68
Setting your own area code .....	68
Restoring the handset default settings .....	68
<b>Setting the base</b> .....	<b>69</b>
Changing the base Gigaset S795 ringtones .....	69
Activating/deactivating music on hold .....	69
Repeater support .....	69
Protecting against unauthorised access .....	70
Resetting the base to the factory settings .....	70
<b>Connecting the base to the PABX</b> .....	<b>71</b>
Dialling modes and recall .....	71
Saving an access code (outside line code) .....	71
Setting pauses .....	72
Switching temporarily to tone dialling (DTMF) .....	72
<b>Customer Service &amp; Assistance</b> .....	<b>73</b>
Questions and answers .....	74
Authorisation .....	75
Guarantee Certificate .....	75
United Kingdom .....	75
<b>Protecting our environment</b> .....	<b>76</b>
<b>Appendix</b> .....	<b>77</b>
Caring for your telephone .....	77
Contact with liquid .....	77
Specifications .....	77
Writing and editing text .....	78
<b>Additional functions via the PC interface</b> .....	<b>79</b>
<b>Accessories</b> .....	<b>81</b>
Mounting the base on the wall (Gigaset S790 only) .....	84
Mounting the charger on the wall .....	84
<b>Index</b> .....	<b>85</b>



## Safety precautions

---

### Warning

Be sure to read this user guide and the safety precautions before using your telephone. Explain their content and the potential hazards associated with using the telephone to your children.



Use only the power adapter supplied, as indicated on the underside of the base.



Use only **rechargeable batteries** that correspond to the **specification provided on page 77**, as this could otherwise result in significant health risks and personal injury.



Using your telephone may affect nearby medical equipment. Be aware of the technical conditions in your particular environment, e.g., doctor's surgery.



Do not hold the rear of the handset to your ear when it is ringing or when speaker mode is activated. Otherwise you risk serious and permanent damage to your hearing.

Your Gigaset is compatible with the majority of digital hearing aids on the market. However, perfect function with all hearing aids cannot be guaranteed.

The handset may cause an unpleasant humming or whistling noise in hearing aids or cause them to overload. If you require assistance, please contact the hearing aid supplier.



Do not install the base or charger in bathrooms or shower rooms. The base and charger are not splashproof (☞ page 77).



Do not use your phone in environments with a potential explosion hazard (e.g., paint shops).



If you give your Gigaset to a third party, make sure you also give them the user guide.



Remove faulty bases from use or have them repaired by our Service department, as they could interfere with other wireless services.

### Please note

Not all of the functions described in this user guide are available in all countries.

## First steps


---

### Checking the package contents



- 1 One Gigaset S790/S795 base
- 2 One power adapter
- 3 One Gigaset S79H handset
- 4 One phone cord
- 5 Two batteries
- 6 One battery cover
- 7 One belt clip
- 8 One plastic headset socket cover
- 9 One user guide

If you have purchased a model with multiple handsets the package should contain two batteries, a battery cover, a belt clip and a charger 9 with power adapter J for each additional handset.



9

## First steps

### Setting up the base and charger (if included)

The base and charger are designed for use in dry rooms in a temperature range of +5°C to +45°C.

- ❑ Set up the base at a central point in the building on a level, non-slip surface or mount the base (Gigaset S790 only) or charger on the wall (☞ page 84).

#### Please note

Pay attention to the range of the base.

This is up to 300 m in unobstructed outdoor areas and up to 50 m inside buildings. The range is reduced when Eco Mode (☞ page 54) is activated.


The phone's feet do not usually leave any marks on surfaces. However, due to the multitude of different varnishes and polishes used on today's furnishings, the occurrence of marks on the surfaces cannot be completely ruled out.

#### Please note:

- ⌊ Never expose the telephone to the influence of heat sources, direct sunlight or other electrical devices.
- ⌊ Protect your Gigaset from moisture, dust, corrosive liquids and fumes.

### Connecting the base


- ❑ First connect the power adapter 1.
- ❑ Then connect the telephone jack 2 and insert the cables into the cable ducts.



#### Please note:


- ⌊ The power adapter must **always be connected**, as the phone will not operate without a mains connection.
- ⌊ Use only the power adapter and phone cord **supplied**. Pin connections on telephone cables can vary (pin connections ☞ page 78).

## Connecting the charger (if included)



- ❏ Connect the flat plug from the power adapter 1 .
- ❏ Plug the power adapter into the plug socket 2.

To disconnect the plug from the charger, press the release button 1 and disconnect the plug 2.



## First steps

### Setting up the handset for use

The display and keypad are protected by plastic films.  
Remove the protective films!

### Inserting the batteries and closing the battery cover

#### Warning

Use only rechargeable batteries recommended by Gigaset Communications GmbH (page 77), i.e., Never use conventional (non-rechargeable) batteries, as this could result in significant health risks and personal injury. For example, the outer casing of the batteries could be damaged or the batteries could explode. The phone could also malfunction or be damaged as a result of using batteries that are not of the recommended type.

- ✘ Insert the batteries with the polarity in the correct direction. The polarity is indicated in/on the battery compartment.




- ✘ First insert the battery cover at the top a.
- ✘ Then press the cover b until it clicks into place.



To open the battery cover, for instance to replace the batteries, insert a coin into the cavity on the left-hand side of the casing, then pull the battery cover in an upward direction.

## First steps

- ❑ Insert the plastic cover provided for the headset socket to ensure optimum sound in speaker mode.



## Attaching the belt clip

The handset has notches on each side to attach the belt clip.

- ❑ **To attach** – press the belt clip onto the back of the handset so that the protrusions on the belt clip engage with the notches.
- ❑ **To remove** – press the centre of the belt clip firmly with your right thumb, push the fingernail of your left index finger up between the clip and the housing and pull the clip in an upward direction.



## Placing the handset in the base/charger

- ❑ Place the handset in the base/charger with its **display facing forward**.

Each handset is registered with the base at the factory. You do not need to register the handset again. If you wish to use your handset with a different base or use further handsets with your base, you have to register the handset manually (☛ page 58).

To charge the batteries, leave the handset in the base/charger.

### Please note

Only place the handset in the designated base/charger.

## First steps

### First battery charge and discharge

The correct charge level can only be displayed if the batteries are first fully charged and discharged.



#### Please note

- U After the first battery charge and discharge, you may replace your handset in the base/charger after every call.
- U Always repeat the charging and discharging procedure if you remove the batteries from the handset and reinsert them.
- U The batteries may warm up during charging. This is not dangerous.
- U After a while, the charge capacity of the batteries will decrease for technical reasons.

## Setting the date and time


Set the date and time so that the correct date and time can be assigned to incoming calls, and so that the alarm can be used.



- ✘ Press the key below **Time** on the display screen to open the **Input field**. (If you have already set the time and date, open the input field via the menu **☰** page 27.)

The **Date/Time** submenu is shown on the display.


- ✘ The active input position flashes. Enter day, month and year as an 8-digit number via the keypad, e.g.,    for 14/10/2009.




Press the **right** or **left** control key to change the input position and correct an entry.



- ✘ Press **down** on the control key to switch to the time input field.



- ✘ Enter the hours and minutes in 4-digit format via the keypad, e.g.,     for 07:15 am. Change the input position with the control key if necessary.





## First steps



- Press the key below **Save** on the display screen to confirm your entry.



The display shows **Saved**. You will hear a confirmation tone and the handset will automatically return to idle status.

### Display in idle status

Once the phone is registered and the time is set, the idle display is shown as in this example: if the answering machine is activated, the answering machine icon **A** is displayed in the header.

#### Displays

- Reception between the base and the handset:
  - Poor to good: **E** **i** **N** **O**
  - No reception: | flashes

**Green:** Eco Mode activated (☒ page 54)

- Charge status of the batteries:


- Y** { (empty to full)
  - Y** flashes **red**: batteries almost empty
  - X** X { (charging)
- INT 1

Internal name of the handset (☒ page 60)

If **Eco Mode+** (☒ page 54) is activated, the  $\frac{1}{4}$  icon is displayed in the top left corner of the display.

Your answering machine is set with a pre-recorded announcement:

**Your phone is now ready for use!**



## Connecting the headset



After removing the plastic cover, you can connect a headset to the left-hand side of your telephone with the 2.5 mm jack connector.

See the relevant product page at [www.gigaset.com](http://www.gigaset.com) for information on recommended headsets.

The headset volume corresponds to the settings for the handset volume (☞ page 65).

After using the headset, replace the plastic cover to enable optimum sound in speaker mode.


## Connecting the USB data cable

You can connect a standard USB data cable with a mini-B connector to the back of your handset to connect the handset to a PC (☞ page 79).

- ❑ Remove the belt clip (if attached) (☞ page 13).
- ❑ Remove the battery cover (☞ page 12).
- ❑ Connect the USB data cable to USB socket 1.

### Please note

Please connect your handset **directly** to the PC; do **not** connect via a USB hub.











## What would you like to do next?

Now you have successfully set up your Gigaset, you will certainly want to adapt it to your personal requirements. Use the following guide to quickly locate the most important topics.

If you are unfamiliar with menu-driven devices such as other Gigaset telephones, read the section entitled "Using the phone" (☞ page 19) first.

Information on ...

... is located here.

Setting the ringtone and volume		page 65
Setting the earpiece volume		page 65
Recording your own announcement for the answering machine		page 47
Setting Eco Mode / Eco Mode+		page 54
Preparing the telephone for SMS reception		page 40
Operating the telephone on a PABX		page 71
Registering existing Gigaset handsets to a base		page 58
Transferring directory entries from existing Gigaset handsets to new handset(s)		page 34
Connecting the phone to the PC		page 79

If you have any questions about using your phone, please read the tips on troubleshooting (☞ page 74) or contact our Customer Care team (☞ page 73).

## Using the phone

---

### Control key

Below, the side of the control key that you must press in the respective operating situation is marked in black (top, bottom, right, left, centre), e.g., V for "press right on the control key" or VV for "press the centre of the control key".

The control key has a number of different functions:



#### When the handset is in idle status

- S Open the directory.
- V Open the main menu.
- U Open the list of handsets.
- t Call up the menu for setting the handset's call volume (☎ page 65).

#### In the main menu

- t, S, V or U Navigate to the required function.

#### In submenus and lists

- t / S Scroll up/down line by line.

#### In input fields

Use the control key to move the cursor up t, down S, right V or left U. Press and hold V or U to move the cursor **word by word**.

#### During an external call

- S Open the directory.
- U Initiate an internal consultation call.
- t Adjust the loudspeaker volume for earpiece and speaker mode.

#### Functions when pressing the middle of the control key

Depending on the operating situation, the key has different functions.

- U In **idle status**, the key opens the main menu.
- U In **submenus, selection and input fields**, the key takes on the function of the display keys  $\{OK\}$ ,  $\{Yes\}$ ,  $\{Save\}$ ,  $\{Select\}$  or  $\{Change\}$ .


#### Please note

These instructions demonstrate the main menu being opened by pressing the right of the control key and functions being actuated by pressing the appropriate display key. However, if you prefer, you can use the control key as described above.

## Using the phone

### Display keys

The functions of the display keys change depending on the particular operating situation. Example:



Some important display keys:

Options	Open a menu for further functions.
OK	Confirm selection.
< C	Delete key: delete character by character/word by word from right to left.
Back	Go back one menu level or cancel operation.
Save	Store entry.
P	Open the redial list.
a	Forwarding a call to the answering machine.

### Keys on the keypad

C / O	/ * etc.
	Press the matching key on the handset.
~	Enter digits or letters.

### Side keys

∅ / +	Press the keys on the right of the handset to set the volume for the handset, ringtone, speaker, alarm, signalling of appointments and the headset depending on the situation.
-------	--

### Correcting incorrect entries

You can correct incorrect characters in the input fields by navigating to the incorrect entry using the control key. You can then:

- U Delete the **character** to the left of the cursor with the display key **<<C** (**press and hold** to delete the **word**)
- U Insert characters at the cursor position
- U Overwrite the highlighted (flashing) character, e.g., when entering time and date.

## Using the menus

Your telephone's functions are accessed using a menu that has a number of levels. The menu display can be extended (**expert mode** ● ) or restricted (**standard mode**). Expert mode is the active default setting.

Settings or functions that are only available in expert mode are marked in these instructions by the ● icon.

Switching between standard mode/expert mode and the menu overview (☰ page 25).

### Main menu (first menu level)

☰ When the handset is in idle status press the **right control key** V to open the main menu.

The main menu functions are shown in the display with icons. The icon for the selected function is highlighted in orange and the name of the associated function appears in the display header:

To access a function, i.e., to open the corresponding submenu (next menu level):

☰ Use the control key P to select the required function and press the display key OK↵

**Briefly** press the display key Back↵ or the end call key ⏪ to revert back to idle status.

Settings		
☰	.	É
É	É	1
á	À	i
Back		OK

### Submenus

The functions in the submenus are displayed as lists (example on the right).

To access a function:

☰ Scroll to the function with the control key Q and press OK↵

**Briefly** press the display key Back↵ or the end call key ⏪ to return to the previous menu level/cancel the operation.

Settings	
_____	
Date/Time	
Audio Settings	
Display	
Language	
Registration	
Back	OK

## Using the phone

### Reverting to idle status

You can revert to idle status from anywhere in the menu as follows:

- ❑ Press and hold the end call key **a**.

or:

- ❑ Do not press any key: after 2 minutes the display will **automatically** revert to idle status.

Settings that have not been saved by selecting the display keys **OK**, **Yes**, **Save** or **Change** are lost.

An example of the display in idle status is shown on page 16.

## Activating/deactivating the handset

- a With the phone in idle status, press and hold the end call key (confirmation tone) to switch off the handset.  
Press and hold the end call key again to switch the handset on.

### Please note

When the handset is switched on, an animation showing the Gigaset logo is displayed for several seconds.

## Activating/deactivating the keypad lock

The keypad lock prevents any inadvertent use of the phone.

- # Press and hold the hash key in idle status to activate or deactivate the keypad lock. You will hear the confirmation tone.

If the keypad lock is activated, you will see a message when you press a key.

The keypad lock deactivates automatically when you receive a call. It is reactivated when the call is finished.

### Please note

When the keypad lock is active, you cannot even call emergency numbers.

## Using this guide

The operating steps are shown in abbreviated form.

### Example:

The illustration:

∨ ⌂ i ⌂ Eco Mode ⌂ Eco Mode+ (3 = on)  
means:



- ✎ Press **right** on the control key ∨ to open the main menu.



- ✎ Press the display key **OK** to confirm your selection.



- ✎ Press **down** on the control key S until the **Eco Mode** menu option appears on the display.
- ✎ Press the display key **OK** to confirm your selection.




## Using the phone



- ✘ Press down on the control key S until the Eco Mode+ menu option appears on the display.

- ✘ Press the display key **Change** to activate/deactivate the function.

The change is effective immediately and does not need to be confirmed.



- ✘ Press the key below **Back** on the display screen to jump back to the previous menu level.

or

Press and **hold** the end call key **a** to return to idle status.

## Menu overview

---

### Setting standard mode or expert mode

The menu display can be extended (**expert mode** ●) or restricted (**standard mode**). Menu options that are only available in expert mode are marked with the ● icon.

To change these settings:

Select **v** **i** **Menu View** **Simplified** (standard mode) or **Complete** (expert mode) **\$select\$** (the active mode is marked with ●)

**Open the main menu:** press **v** when the phone is in idle mode.

### Select Services

Withhold Number	☞	page 30
All Calls	☞	Call Divert page 31
Ringback Off	☞	Call Waiting page 30

### Resource Directory

Screensavers	☞	page 67
Caller Pictures	☞	page 67
Sounds	☞	page 67
Capacity	☞	page 67

### Additional Features

Room Monitor	☞	page 61
--------------	---	---------

### Call Lists

All Calls	☞	page 36
Outgoing Calls	☞	page 36
Accepted Calls	☞	page 36
Missed Calls	☞	page 36

## Menu overview

### SMS

You have activated an SMS mailbox (general or private) without a PIN

New SMS	☰	page 40
Incoming	☰	page 42
Draft	☰	page 41

You have activated an SMS mailbox with a PIN or 2–3 mailboxes

Mailbox	☰	page 40
New SMS	☰	page 42
Incoming	☰	page 41
Draft	☰	page 41
New SMS	☰	page 40
Incoming	☰	page 42
Draft	☰	page 41
• Settings	☰	page 45
Service Centres	☰	page 43
SMS Mailboxes	☰	page 43
Notification	☰	page 43

### Voice Mail

Play Messages	☰	Network Mailbox	☰	page 53
Activation *	☰	Answering Machine *	☰	page 47
Announcements *	☰	Rec. Announcement *	☰	page 47
		Play Announcement *	☰	page 47
		Del. Announcement *	☰	page 47
		• Rec. Advisory Msg. *	☰	page 47
		• Play Advisory Msg. *	☰	page 48
		• Del. Advisory Msg. *	☰	page 48
• Recordings *	☰	page 50		
• Call Screening *	☰	page 50		
• Network Mailbox **	☰	page 53		
• Set Key 1 *	☰	Network Mailbox	☰	page 53
		Answering Machine	☰	page 53

\* Base with answering machine only

\*\* Base without answering machine only

### Organizer

Calendar	☰	page 55
Alarm Clock	☰	page 57
Missed Alarms	☰	page 56

⌂ Directory

⌂ page 32

i Settings

Date/Time	⌂ page 15														
Audio Settings	<table border="1"> <tr> <td>Handset Volume</td> <td>⌂ page 65</td> </tr> <tr> <td>Handsfree Profiles</td> <td>⌂ page 65</td> </tr> <tr> <td>• Advisory Tones</td> <td>⌂ page 68</td> </tr> <tr> <td>Ringtones(Handset)</td> <td>⌂ page 65</td> </tr> <tr> <td>Ringtones (Base)</td> <td>⌂ page 69</td> </tr> <tr> <td>• Music on hold</td> <td>⌂ page 69</td> </tr> </table>	Handset Volume	⌂ page 65	Handsfree Profiles	⌂ page 65	• Advisory Tones	⌂ page 68	Ringtones(Handset)	⌂ page 65	Ringtones (Base)	⌂ page 69	• Music on hold	⌂ page 69		
Handset Volume	⌂ page 65														
Handsfree Profiles	⌂ page 65														
• Advisory Tones	⌂ page 68														
Ringtones(Handset)	⌂ page 65														
Ringtones (Base)	⌂ page 69														
• Music on hold	⌂ page 69														
Display + Keypad	<table border="1"> <tr> <td>Screensaver</td> <td>⌂ page 63</td> </tr> <tr> <td>Large Font</td> <td>⌂ page 64</td> </tr> <tr> <td>Colour Schemes</td> <td>⌂ page 64</td> </tr> <tr> <td>• Display Backlight</td> <td>⌂ page 64</td> </tr> <tr> <td>Keypad Illumination</td> <td>⌂ page 64</td> </tr> </table>	Screensaver	⌂ page 63	Large Font	⌂ page 64	Colour Schemes	⌂ page 64	• Display Backlight	⌂ page 64	Keypad Illumination	⌂ page 64				
Screensaver	⌂ page 63														
Large Font	⌂ page 64														
Colour Schemes	⌂ page 64														
• Display Backlight	⌂ page 64														
Keypad Illumination	⌂ page 64														
Language	⌂ page 63														
Registration	<table border="1"> <tr> <td>Register Handset</td> <td>⌂ page 58</td> </tr> <tr> <td>De-reg. Handset</td> <td>⌂ page 58</td> </tr> <tr> <td>Select Base</td> <td>⌂ page 59</td> </tr> </table>	Register Handset	⌂ page 58	De-reg. Handset	⌂ page 58	Select Base	⌂ page 59								
Register Handset	⌂ page 58														
De-reg. Handset	⌂ page 58														
Select Base	⌂ page 59														
• Telephony	<table border="1"> <tr> <td>Auto Answer</td> <td>⌂ page 64</td> </tr> <tr> <td>Area Codes</td> <td>⌂ page 68</td> </tr> <tr> <td>Listening In</td> <td>⌂ page 60</td> </tr> <tr> <td>Preselection</td> <td>⌂ page 38</td> </tr> <tr> <td>Access Code</td> <td>⌂ page 71</td> </tr> <tr> <td>Dialling Mode</td> <td>⌂ page 71</td> </tr> <tr> <td>Recall</td> <td>⌂ page 71</td> </tr> </table>	Auto Answer	⌂ page 64	Area Codes	⌂ page 68	Listening In	⌂ page 60	Preselection	⌂ page 38	Access Code	⌂ page 71	Dialling Mode	⌂ page 71	Recall	⌂ page 71
Auto Answer	⌂ page 64														
Area Codes	⌂ page 68														
Listening In	⌂ page 60														
Preselection	⌂ page 38														
Access Code	⌂ page 71														
Dialling Mode	⌂ page 71														
Recall	⌂ page 71														
• System	<table border="1"> <tr> <td>Handset Reset</td> <td>⌂ page 68</td> </tr> <tr> <td>Base Reset</td> <td>⌂ page 70</td> </tr> <tr> <td>Repeater Mode</td> <td>⌂ page 69</td> </tr> <tr> <td>System PIN</td> <td>⌂ page 70</td> </tr> </table>	Handset Reset	⌂ page 68	Base Reset	⌂ page 70	Repeater Mode	⌂ page 69	System PIN	⌂ page 70						
Handset Reset	⌂ page 68														
Base Reset	⌂ page 70														
Repeater Mode	⌂ page 69														
System PIN	⌂ page 70														
Menu View	<table border="1"> <tr> <td>Simplified</td> <td>⌂ page 25</td> </tr> <tr> <td>Complete</td> <td>⌂ page 25</td> </tr> </table>	Simplified	⌂ page 25	Complete	⌂ page 25										
Simplified	⌂ page 25														
Complete	⌂ page 25														
Eco Mode	<table border="1"> <tr> <td>Eco Mode</td> <td>⌂ page 54</td> </tr> <tr> <td>Eco Mode+</td> <td>⌂ page 54</td> </tr> </table>	Eco Mode	⌂ page 54	Eco Mode+	⌂ page 54										
Eco Mode	⌂ page 54														
Eco Mode+	⌂ page 54														

## Making calls

### Making calls

If the backlight is deactivated (☒ page 64) it is switched on by pressing any key. In this case the pressed key has no other function.

### Making an external call

External calls are calls using the public telephone network.

~ C Enter the number and press the talk key.

or:

C ~ Press and hold the talk key C and then enter the number.

You can cancel the dialling operation with the end call key a .

You are shown the duration of the call while the call is in progress.

#### Please note

Dialling with the directory (☒ page 32), call list (☒ page 36), redial list (☒ page 35) and automatic redial (☒ page 36) saves you from repeatedly keying in phone numbers.

### Ending a call

a Press the end call key.

### Accepting a call

The handset indicates an incoming call in three ways: by ringing, by a display on the screen and by the flashing talk key C .

Accept the call by:

- ☒ Pressing the talk key C .
- ☒ Pressing the speaker key d .
- ☒ Gigaset S790: press the display key Accept
- ☒ Gigaset S795: press the display key Accept to divert the call to the answering machine (☒ page 50).

If the handset is in the base/charger and the **Auto Answer** function is activated (☒ page 64), the handset automatically answers the call when you remove it from the base/charger.

To deactivate the ringtone, press the Silence display key. You can accept the call as long as it is displayed on the screen.


### Calling Line Identification

When you receive a call, the caller's number is displayed on the screen if the following conditions are met:

- U Your network provider supports CLIP, CLI.
  - CLI (Calling Line Identification): the caller's number is transmitted.
  - CLIP (Calling Line Identification Presentation): the caller's number is displayed.
- U You have requested CLIP from your network provider.
- U The caller has requested CLI from the network provider.


### Call display with CLIP/CLI

If the number of the caller is saved in your directory, you will see their name, and if you have assigned a caller picture to that caller, this will also be displayed.



## Making calls

or



- 1 Ringtone icon
- 2 Number or name of caller

The following is displayed in place of the number:

- U **External**, if no number is transmitted.
- U **Withheld**, if the caller has withheld Calling Line Identification (CLID) (see page 30).
- U **Unavailable**, if the caller has not arranged Calling Line Identification.

### Please note

The ringtone can be switched off for unknown calls (calls with Calling Line Identification withheld) (see page 66).

## Speaker mode

In speaker mode, instead of holding the handset to your ear you can put it down, for example on the table in front of you. This allows others to participate in the call.

## Activating/deactivating speaker mode

### Activating while dialling

- ~ **cl** Enter the number and press the speaker key.
- ⌘ Inform your caller before you use the speaker function so that the caller knows a third party may be listening.

## Switching between earpiece and speaker mode

- cl** Press the speaker key.

During a call and when listening to the answering machine (Gigaset S795 only), activate or deactivate speaker mode.

If you wish to place the handset in the base/charger during a call:

- ⌘ Press and hold the speaker key **cl** while placing the handset in the base/charger and for a further 2 seconds.

For instructions on adjusting the speaker volume (see page 65).

### Please note

If you have a headset connected, you can switch between the headset and speaker mode.

## Switching to mute

You can deactivate the microphone in your handset during an external call.

- h** Press key to mute the handset. The display shows **Microphone is off**.

Press the key again to reactivate the microphone.

### Please note

- U If the telephone is muted, all keys except the mute key **h** and the end-call key **cl** will not work.
- U A connected headset will also be muted.

Making calls using network services

## Making calls using network services

---

Network services are functions that your network provider makes available to you. You have to request these services from your network provider.

- ❏ It is not possible to reprogram the network services.
- ❏ If you require assistance, please contact your network provider.

## Calling Line Identification

---

### Withhold Calling Line Identification once (CLIR):

If you make a call, your number is shown in the display of the call recipient if that person has activated CLIP (☞ page 28).

If, in certain instances, you do not wish to hold your number displayed, you can withhold your number for the next call (CLIR).

- ∨ ☞ ☞ ☞ Withhold Number
- ~ Enter phone number.
- ☐ Press the talk key.

## Ringback

---

### Initiating ringback

If the number you have called is engaged, you can initiate ringback. As soon as the line belonging to the person you called is free, your handset will ring.

You hear the busy tone.

- <sup>\$Options\$</sup> ☞ Ringback
- a Press the end call key.

### Cancelling ringback

You can cancel a ringback that has already been initiated.

- ∨ ☞ ☞ Ringback Off

## Call waiting during an external call

---

If the function is activated, during an external call you will hear a call waiting tone to signal that another external caller is trying to get through. If you have CLIP (☞ page 28), the number of the waiting caller or the corresponding directory entry is shown in the display.

### Activating/deactivating call waiting

---

- ∨ ☞ ☞ All Calls ☞ Call Waiting

Status Activate/deactivate.

<sup>\$Dials\$</sup> Press the display key.

### Accepting a waiting call

---

You are making an external call and hear the call waiting tone.

You have the following options:

If CLIP (☞ page 28) is activated

<sup>\$Accept\$</sup> Press the display key.

If CLIP is not activated

<sup>\$Options\$</sup> ☞ Accept Waiting call

Once you have accepted the waiting call you can switch between the two callers ("call swap" ☞ page 31).

## Making calls using network services

### Call divert (CD)

---

When diverting a call, the call is forwarded to another connection.

The following options are available:

- U **All Calls:** Calls are diverted immediately. No more calls are signalled on your phone.

- U **No Answer:** Calls are diverted if no one accepts the call within several rings.

- U **When Busy:** Calls are forwarded when your line is busy. Call is diverted without a call waiting tone.

- V ☒ ☑ ☒ **All Calls** ☒ **Call Divert**

- ☒ You can enter data in the following fields:

**When:**

Select **All Calls** / **When Busy** / **No Answer**.

**Phone Number:**

Enter the number to which the call is to be diverted.

**Status:**

Activate/deactivate call divert.

\$Send\$ Press the display key.

a After the announcement, press the end call key.

### Consultation call, call swap

---

These functions enable you to:

- U Call a second external caller (consultation call)

- U Switch between two calls (call swap)

### Consultation call

---

You can call a second external caller. The first call is placed on hold.

**During an external call:**

\$Ext.Calls\$ Press the display key.

The previous call is placed on hold. The other participant hears an announcement.

~ Enter the second participant's telephone number.

The phone number is dialled. You are connected to the second participant.

If the caller does not answer, select the display key \$End\$ to return to the first participant.

#### Please note

You can also select the second participant's phone number from the directory or the call list (☒ page 34).

### Ending a consultation call

\$Options\$ ☒ **End Active Call**

You are reconnected to the first caller.

You can also end the consultation call by pressing the end call key. The connection is briefly interrupted and you will receive a call back. Once you have pressed the talk key, you are reconnected to the first caller.

### Call swap

---

You can speak to both callers one at a time (call swap).

**Prerequisite:** You are conducting an external call and have called a second participant (consultation call) or have accepted a waiting call.

- ☒ Use Q to swap between the participants. The caller you are currently speaking to is marked with the æ icon.

### Ending the current call.

\$Options\$ ☒ **End Active Call**

You are re-connected to the waiting caller.



Using the directory and lists

## Using the directory and lists

---

The options are:

- U Directory
- U Redial list
- U Incoming SMS message list
- U Call lists
- U List of missed appointments
- U Answering machine list (Gigaset S795 only)

You can create a personalised directory for your own handset. You can also send lists/entries to other handsets (☒ page 34).

### Directory

---

You can save up to 500 entries in the directory.

**Please note**  
To quickly access a number from the directory (quick dial), you can assign the number to a key (☒ page 62).

### Directory

---

In the **directory**, you can save:

- U Up to three numbers and associated first names and surnames
- U E-mail addresses
- U Anniversaries with reminder
- U VIP ringtone with VIP icon
- U Caller pictures.

You open the directory in idle status using the **S** key.

### Length of the entries

- 3 numbers: each max. 32 digits
- First name and surname: each max. 16 characters
- E-mail address: max. 64 characters

## Saving a number in the directory

---

**S** ☒ <New Entry>

☒ You can enter data in the following fields:

### First Name/Surname:

Enter first names and/or surnames.

If you do not enter a name in either of the fields, the phone number is saved and displayed in place of a surname.

(For instructions on entering text and special characters, please see ☒ page 78.)

### Phone (Home): / Phone (Office): /

### Phone (Mobile):

Enter a number in at least one of the fields.

When scrolling through the directory, the entries are highlighted by a prefixed symbol: ä / K / I .

### E-mail:

Enter the e-mail address.

### Anniversary:

Select **On** or **Off**.

With setting **On**:

Enter **Annivers. (Date)** and **Anniversary (time)** and select reminder type:

**Anniversary (tone)** ☒ page 34.

### Caller Picture:

If required, select a picture to be displayed when this person calls (see "Resource Directory", page 67).

Prerequisite: Calling Line Identification (CLIP).

### Caller Melody (VIP):

Mark a directory entry as a **VIP**

(Very Important Person) by assigning a specific ringtone to it. VIP calls are recognised by the ringtone.

When scrolling through the directory, VIP entries are highlighted by the **AE** icon. Prerequisite: Calling Line Identification (CLIP).

**Save** Press the display key.

## Order of directory entries

---

Directory entries are generally sorted alphabetically by surname. Spaces and digits take first priority. If only the first name was entered in the directory, this is incorporated into the sort order instead of the surname.

The sort order is as follows:

1. Space
2. Digits (0–9)
3. Letters (alphabetical)
4. Other characters

To get round the alphabetical order of the entries, insert a space or a digit in front of the first letter of the surname. These entries will then move to the beginning of the directory.

## Select a directory entry

---

**S** Open the directory.

You have the following options:

- U** Use **S** to scroll through the entries until the required name is selected.
  - U** Enter the first letters of the name (max. 8), if necessary scroll to the entry with the **S** key.
- The directory searches for the surname. If a surname has not been entered, the directory searches for the first name.

## Select from the directory

---

**S** **⇩** **S** (Select entry)

**C** Press the talk key.

(If several numbers are entered, select the required number by pressing **r** and press the talk key **C** again).  
The number is dialled.

## Managing directory entries

---

### Viewing entries

**S** **⇩** **S** (Select entry)

**View** Press the display key. The entry is displayed.

**Options** Press the display key.

The following functions can be selected with **q** :

### Display Number

To edit or add to a saved number, or to save it as a new entry, press **O** after the number is displayed.

### Delete Entry

Delete selected entry.

### Copy Entry

**to Internal**: Send a single entry to a handset (**⇩** page 34).

**vCard via SMS**: Send a single entry in vCard format via SMS.

### Editing entries

**S** **⇩** **S** (Select entry)

**View/Edit** Press display keys one after the other.

**⌘** Carry out changes and save.

### Using other functions

**S** **⇩** **S** (Select entry)

**Options** (Open menu)

The following functions can be selected with **q** :

### Display Number

Edit or add to a saved number and then dial with **C** or save as a new entry; to do so, press **O** after the number is displayed.

### Edit Entry

Edit selected entry.

### Delete Entry

Delete selected entry.

## Using the directory and lists

### Copy Entry

↳ **Internal:** Send a single entry to a handset (☞ page 34).

↳ **Card via SMS:** Send a single entry in vCard format via SMS.

### Delete All

↳ Delete all entries in the directory.

### Copy All

↳ **Internal:** Send the complete list to a handset (☞ page 34).

### Available Memory

↳ Display the number of entries that are still available in the directory (☞ page 32).

## Using quick dial keys

↳ Press and hold the required quick dial key (☞ page 62).

## Transferring the directory to another handset

### Prerequisites:

↳ The sending and receiving handsets must both be registered to the same base.

↳ The other handset and the base can send and receive directory entries.

↳ S (Select entry)

↳ ☞ ☞ Options (Open menu) ☞ Copy Entry / Copy All ☞ to Internal

↳ S Select the internal number of the receiving handset and press ☞

↳ You can transfer several individual entries one after the other by responding to the **Entry copied - Copy next entry?** prompt with Yes

↳ A successful transfer is confirmed by a message and confirmation tone on the receiving handset.

### Please note:

↳ Entries with identical numbers are not overwritten on the receiving handset.

↳ The transfer is cancelled if the phone rings or if the memory of the receiving handset is full.

↳ Pictures and sounds assigned to entries are not transferred.

## Copying the displayed number to the directory

↳ You can copy numbers displayed in a list, e.g., the call list or the redial list, or in an SMS, to the directory.

↳ A number is displayed:

↳ ☞ ☞ Copy to Directory

↳ Complete the entry (☞ page 32).

↳ Gigaset S795: Message playback is interrupted during the number transfer from the answering machine list.

## Copying a number or e-mail address from the directory

↳ In some operating situations, you can open the directory to copy a number or e-mail address, for example. Your handset need not be in idle status.

↳ Depending on the operating situation, open the directory with S or ☞ .

↳ q Select entry (☞ page 33).

## Storing an anniversary in the directory

↳ For each number in the directory, you can save an anniversary and specify a time at which a reminder call should be made on the anniversary (default setting: **Anniversary: Off**).

↳ S ☞ S (Select entry)

↳ ☞ ☞ ☞ Press display keys one after the other.

↳ S Scroll to the **Anniversary** line.

↳ v Select **On**.

## Using the directory and lists

✎ You can enter data in the following fields:

### Annivers. (Date)

Enter day/month/year in 8-digit format.

### Anniversary (time)

Enter the hour/minute for the reminder call in 4-digit format.

### Anniversary (tone)

Select the reminder type.

**\$Save\$** Press the display key.

### Please note

A time must be specified for reminder calls. If you select a visual signal, a time is not required and is automatically set to 00:00.

## Deactivating anniversaries

**S** **☒** **S** (Select entry)

**\$View\$****\$Edit\$** Press display keys one after the other.


**S** Scroll to the **Anniversary** line.

**V** Select **Off**.

**\$Save\$** Press the display key.

## Reminder call on an anniversary

In **idle status**, a reminder call is indicated on the handset display and by the selected ringtone and volume that has been set for internal calls (**☒** page 65).



You can:

**\$SMS\$** Write an SMS.

**\$OK\$** Press the display key to acknowledge and end the reminder call.

During the **reminder call**, you can permanently change the volume by pressing the side keys **☐** (louder) or **+ (quieter)**.

**When you are on the phone**, a reminder call is indicated on the handset with a **single** advisory tone.

Anniversaries that are indicated during a call and are not acknowledged are entered in the **Missed Alarms** list (**☒** page 38).

## Redial list

The redial list contains the twenty numbers last dialled with the handset (max. 32 digits). If one of the numbers is in the directory, the corresponding name is displayed.

## Manual redial

**C** Press the key **briefly**.

**S** Select entry.

**C** Press the talk key again. The number is dialled.

When a name is displayed, you can display the corresponding phone number by pressing the display key **\$View\$**.

## Managing entries in the redial list

**C** Press the key **briefly**.

**S** Select entry.

**\$Options\$** Open menu.

The following functions can be selected with **q** :

### Copy to Directory

Copy an entry to the directory (page 32).

## Using the directory and lists

### Automatic Redial

The selected number is automatically dialled at fixed intervals (at least every 20 seconds). The speaker key flashes and "open listening" is activated.

- Party answers:  
Press the talk key **C**. The function is ended.
- Party does not answer:  
The call is terminated after approx. 30 seconds. The function is ended after pressing any key or after ten unsuccessful attempts.

**Display Number** (as in the directory, page 33)

**Delete Entry** (as in the directory, page 33)

**Delete All** (as in the directory, page 34)

### Incoming SMS message list

All received SMS messages are saved in the incoming message list (☰ page 41).

### Answering machine list (Gigaset S795 only)

You can use the **answering machine list** to listen to the messages that are on the answering machine.

### Call lists

**Prerequisite:** Calling Line Identification (CLIP, page 28)

Your telephone stores various types of calls:

- U Answered calls
- U Outgoing calls
- U Missed calls
- U Calls recorded by the answering machine (Gigaset S795 only)

You can view each type of call separately or gain an overview of all calls. Each call record contains the last 20 numbers in its category. When in idle status, open the call lists by selecting the **☰** display key or via the menu:

∨ **☰** **E**

### List entry

New messages are displayed at the top.

Example of list entries:

All Calls	
™ Frank	
14.10.09, 15:40	
\$ 089563795	
14.10.09, 15:32	
™ ...0123727859362922	
14.10.09, 15:07	
View	Options

- U List type (in header)
- U Status of entry
- Bold:** New entry
- U Number or name of caller
- U Date and time of call (if set, page 15)

## Using the directory and lists

U Type of entry:

- Accepted calls ( > )
- Missed calls ( <sup>TM</sup> )
- Outgoing calls (  $\text{\$}$  )
- Calls recorded by the answering machine (  $\bar{A}$  , Gigaset S795 only)

Press the talk key  $\text{C}$  to call the selected caller back.

Press the  $\text{View}$  display key to access additional information, including for example the number linked to the name.

Select the  $\text{Options}$  display key to select the following options:

**Copy to Directory**  
Copy the number to the directory.

**Delete Entry**  
Delete selected entry.

**Delete All**  
Delete all entries.

When you quit the call lists, all entries are set to the status "old", i.e., the next time you call up the list, they will no longer be shown in bold.

## Opening lists with the message key

Use the message key  $\text{F}$  to open the following list selection:

- U Answering machine list (Gigaset S795 only) or network mailbox, if your network provider supports this function and fast access is set for the network mailbox ( $\text{C}$  page 53).
- U Incoming SMS message list ( $\text{C}$  page 41)  
If **multiple** mailboxes are set up ( $\text{C}$  page 43), several lists are displayed.
- U List of missed calls
- U List of missed alarms ( $\text{C}$  page 38)

An advisory tone sounds as soon as a **new message** arrives in a list. The  $\text{F}$  key flashes (it goes off when the key is pressed). In **idle**

**status**, the display shows an icon for the new message:

- Icon**    **New message...**
- $\bar{A}$     ... in the answering machine list (Gigaset S795 only) or on the network mailbox
  - <sup>TM</sup>    ... in the **missed calls list**
  - $\text{E}$     ... in the SMS list
  - $\text{E}$     ... in the **Missed Alarms list**:

The number of **new** entries is displayed under the corresponding icon.

$\bar{A}$	$\text{OE}$	$\frac{3}{4}$	$\text{E}$
02	10	09	08

### Please note

If calls are saved in the network mailbox, you will receive a message if the appropriate settings have been made (see your network provider user guide).

After pressing the message key  $\text{F}$ , you can see all lists containing messages and the network mailbox list.

Lists containing new messages are at the top of the list and are marked in a bold font.

Messages & Calls	
<b>Calls:</b>	<b>(3)</b>
Missed Alarms	(1)
SMS:	(2)
Back	OK

Select a list with  $\text{q}$ . To open, press  $\text{OK}$ .

## Making cost-effective calls

### List of missed alarms

---

Missed (unacknowledged) appointments from the calendar (☞ page 55) and anniversaries (☞ page 34) are saved in the **Missed Alarms** list under the following circumstances:

- U You do not accept an appointment/anniversary.
  - U The appointment/anniversary was signaled during a phone call.
  - U The handset is deactivated at the time of the appointment/anniversary.
  - U Automatic redial was activated at the time of an appointment/anniversary (☞ page 35).
  - U Open the list by pressing the **message key F** (☞ page 37).
- Each entry is displayed with:
- U Number or name
  - U Date and time
- The most recent entry is at the head of the list.
- Press the display key **Delete** to delete the selected entry.
- If 10 entries are already stored in the list, the next appointment reminder will delete the oldest entry.

### Making cost-effective calls

---

Make phone calls through a network provider who offers particularly low-cost call rates (call-by-call).

### Automatic network provider code (preselection)

---

You can store a call-by-call number (preselection number), which is **automatically** placed in front of numbers when you dial them.

In the "**With Preselection**" list, specify the access codes or the first digits of the access codes that you wish to assign to the preselection number.

In the "**No Preselection**" list, enter the exceptions to the "**With Preselection**" list.

#### Example:

Preselection No.	0999
With Preselection	08
No Preselection	081 084

All numbers that start with 08, except for 081 and 084, are dialled with the preselection number 0999.

Phone number	Dialled number
07112345678	☞ 07112345678
08912345678	☞ 0999 08912345678
08412345678	☞ 08412345678

#### • Saving preselection numbers

**☞ I ☞ Telephony ☞ Preselection**  
**☞ Preselection No.**

~ Enter or change the preselection number (call-by-call number).

**Save** Press the display key.

## Save or change entries in the preselection lists

---

Each of the two lists can contain 20 entries, each with 6 digits.

Numbers may be prefixed according to the country in the "With Preselection" list. This means, for example, that all national calls or calls to the mobile network are **automatically** linked to the preselection number you have saved previously.

∨ ◊ i ◊ Telephony ◊ Preselection  
 ◊ With Preselection / No Preselection

S Select entry.

~ Enter or edit the first digits of the number.

\$Save\$ Press the display key.

## Temporarily cancelling preselection

---

C (press and hold) ◊ \$Options\$  
 ◊ Preselection off ◊ ~ (dial number)

## Permanently deactivating preselection

---

∨ ◊ i ◊ Telephony ◊ Preselection  
 ◊ Preselection No.

<C Press and **hold** the display key until the preselection number is deleted.

\$Save\$ Press the display key.



## SMS (text messages)

### SMS (text messages)

Your phone is delivered ready to send SMS messages immediately.

#### Prerequisites:

- U Calling Line Identification is enabled for your phone line.
- U Your network provider supports SMS on the fixed line network (information on this can be obtained from your network provider).
- U You are registered with your service provider to send and receive SMS messages.
- U To receive SMS messages, you must be registered with your service provider. This occurs automatically when you send your first SMS.

**Please note** If your phone is connected to a PABX, please read page 45.

### Writing/sending an SMS

#### Writing an SMS

∨ ⇄ E

- Mailbox 2 Select mailbox if necessary and press **OK**.
- ~ Enter mailbox PIN if necessary and press **OK**.
- New SMS Select and press **OK**.
- ~ Write an SMS.

#### Please note

- U For instructions on entering text and special characters, please see page 78.
- U An SMS may contain up to 612 characters. If there are more than 160 characters, the SMS is sent as a **linked SMS** (up to 4 SMS messages with 153 characters each). The top right of the display shows how many characters are still available and which part of a linked SMS is currently being written.

#### Sending an SMS

- C Press the talk key

or:

**Options** Press the display key.

**Send** Select and press **OK**.

**SMS** Select and press **OK**.

~ / S Select number with access code (even if you are in that area) from the directory or enter directly. For sending SMS messages to an SMS mailbox: add the mailbox ID to the end of the number.

**Send** Press the display key. The SMS is sent.

#### Please note

- U If you are interrupted by an external call while writing an SMS, the text is automatically saved in the draft SMS list.
- U If the memory is full, or if the SMS function on the base is being used by another handset, the operation is cancelled. An appropriate message appears in the display. Delete SMS messages you no longer require or send the SMS later.

## Draft SMS list

---

You can save an SMS in the draft SMS list, and edit and send it later.

### Saving an SMS in the draft SMS list

- ⌘ You are writing an SMS (☞ page 40).

☞options☞ Press the display key.

**Save Entry** Select and press ☞OK☞

### Opening the draft message list

∨ ☞ E ☞ ☞ , if necessary ~  
(mailbox, mailbox PIN), ☞ Draft

The first entry in the list is displayed, e.g.:



If the entry has been saved with the phone number, i.e., when the SMS was saved from the incoming message list, the number is displayed in the first line.

### Reading or deleting SMS messages

- ⌘ Open the draft message list and then:

q Select SMS.

☞Read☞ Press the display key. The text is displayed. Scroll line by line using q

or delete the SMS with

☞options☞ ☞ Delete Entry ☞ ☞OK☞

### Writing/editing an SMS

- ⌘ You are reading an SMS in the draft SMS list.

☞options☞ Open menu.

You have the following options:

#### Copy

Send stored SMS.

#### Edit

Edit the text of the saved SMS and then send it (☞ page 40).

#### Character Set

Display text in the selected character set.

## Deleting draft SMS list

- ⌘ Open the draft message list and then:  
☞options☞ Open menu.

**Delete All** Select, press ☞OK☞ and confirm

with ☞Yes☞. The list is deleted.

## Receiving an SMS

---

All received SMS messages are saved in the incoming SMS list. Linked SMS messages are displayed as **one** message. If this is too long or is not transferred completely, it is split into individual messages. Since an SMS remains in the list even after it has been read, **regularly delete SMS messages from the list**.

The display tells you if the SMS memory is full.

## Activating/deactivating first ringtone muting

---

Each incoming SMS is signalled by a single ring (ringtone as for external calls). If you accept such a "call", the SMS is lost. To prevent this ring, suppress the first ringtone for all external calls.

∨ Open the main menu.

\* # ☞ 5 # ☞ ☞ ☞

Press keys.

☞ ☞OK☞ Make the first ringtone audible.

or:

☞ ☞☞☞ ☞OK☞ Mute the first ringtone.

## Incoming message list

---

The incoming message list contains:

∪ All received SMS messages, starting with the most recent.

∪ SMS messages that could not be sent due to an error.

New SMS messages are signalled on all Gigaset S79H handsets by the E icon on the display, the flashing message key F and an advisory tone.

## SMS (text messages)

### Opening the incoming message list with the **F** key

**F** Press.

The incoming message list is indicated by the mailbox name and the number of entries (example):

```
SMS: (2)
```

**Bold:** new entries

**Normal font:** old entries

If necessary select a mailbox and open list by selecting **OK** (enter mailbox PIN if required and confirm by pressing **OK**).

The number and date of receipt are displayed in the entry list.

```
0123727859362922
14.10.09 09:07
```

### Opening the incoming message list via the SMS menu

**V** **E** **F** (if necessary, select mailbox, enter mailbox PIN) **F** **Incoming**

### Deleting the incoming message list

All new and old SMS messages in the list are deleted.

**X** Open the incoming message list.

**Options** Open menu.

**Delete All** Select, press **OK** and confirm with **Yes**. The list is deleted.

### Reading or deleting SMS messages

**X** Open the incoming message list, then:

**q** Select SMS.

**Read** Press the display key. The text is displayed. Scroll line by line using **q**

or delete the SMS with **Options** **F** **Delete Entry** **OK**

After you have read a new SMS, it is given the status "Old" (is no longer shown in bold).

### Changing the character set

**X** Read the SMS

**Options** Press the display key.

**Character Set**

Text is shown in the selected character set.

### Replying to or forwarding SMS messages

**X** Read the SMS

**Options** Press the display key.

You have the following options:

**Reply**

Write and send a new SMS in reply to the sender (**F** page 40).

**Edit**

Edit the text in the SMS and return it to the sender (**F** page 40).

**Forward**

Forward the SMS to another number (**F** page 40).

### Copying the number to the directory

#### Copying the sender's number

**X** Open the incoming message list and select the SMS (**F** page 41).

**Options** **F** **Copy to Directory**

**X** Complete the entry **F** page 34.

#### Please note

An attached mailbox identifier is added to the directory.

## Copying/dialling numbers from an SMS




- ⌘ Read the SMS and scroll to the telephone number.
- The digits are highlighted.
- Press the display key.
- Complete the entry (☛ page 34).
- or:
- Press the talk key to dial the number.
- If you wish to use the number to send an SMS:
- ⌘ Save the number with the local area code (access code) in the directory.

## SMS with vCard

The vCard is an electronic business card. It is displayed by the  icon in the body of the SMS.

- A vCard can include:
- U Name
  - U Private number
  - U Business number
  - U Mobile phone number
  - U Birthday
- Entries in a vCard can be saved to the directory individually.

### Opening the vCard

- ⌘ Read the SMS containing the vCard.
-  Press the display key.
- To return to the body of the SMS, press .
- q Select number.
-  Press the display key.
- When you save a number, the directory is opened automatically. The number and name are copied. If a birthday is entered on the vCard, the date is copied to the directory as an anniversary.
- ⌘ If necessary, edit the entry in the directory and save it. You will return to the vCard automatically.

- **Notification via SMS**

You can be notified about missed calls or new answering machine messages (Gigaset S795 only) via SMS.

**Prerequisite:** For missed calls, the caller's number (CLI) must have been transmitted. Notification is sent to your mobile phone or another phone with SMS functionality.

You only need to save the telephone number to which you wish the notification to be sent.

∨   **Settings**  **Notification**

- ⌘ You can enter data in the following fields:

To:

Enter the number to which the SMS should be sent.

### On missed call

Select **On** if you require SMS notification.

### On message on answer machine

(Gigaset S795 only)

Select **On** if you require SMS notification.

 Press the display key.

### Warning

Do not enter your own fixed line network number for the notification of missed calls. This can lead to chargeable endless looping.

## SMS mailboxes

The **general mailbox** is the default setting. Anyone can access this mailbox and it can not be protected by a PIN. You can set up three additional **personal mailboxes** and protect these with a **PIN**. Each mailbox is identified by a name and a "mailbox ID" (a kind of extension number).

### Please note:

- U If you operate a number of devices (bases) with SMS functionality on a single phone line, then each SMS mailbox ID may only occur once. In this case, you

## SMS (text messages)

must also change the preset ID of the general mailbox ("0").

- U Only use personal mailboxes if your service provider supports this function. You can tell whether this is the case by the addition of a star (\*) to the number of a (preset) SMS centre.

U If you have forgotten your mailbox PIN, you can reset it by restoring the base's default settings. This will delete all SMS messages from all mailboxes.

- **Setting up and editing a personal mailbox**

---

### Setting up a personal mailbox

- V  $\Phi$   $\Xi$   $\Phi$  Settings  $\Phi$  SMS Mailboxes S Select mailbox, e.g., Mailbox 2 and press  $\$edit\$$ .

- ⊗ You can enter data in the following fields:

#### Activation:

Activate or deactivate mailbox.

#### Name:

Enter name.

#### Box ID:

Select mailbox ID (0–9). You can only select the available numbers.

#### Protection:

Activate/deactivate PIN protection.

#### SMS PIN

If necessary, enter 4-digit PIN.

$\$save\$$  Press the display key.

Active mailboxes are marked with  $\checkmark$  in the mailbox list. They are shown in the SMS list and can, if necessary, be displayed by pressing the message key  $\Phi$ .

### Deactivating a mailbox

- ⊗ Set Activation to Off. Confirm message with  $\$yes\$$  if necessary.

All SMS messages saved in this mailbox are deleted.

### Deactivating PIN protection

- ⊗ Set Protection to Off.

The mailbox PIN is reset to "0000".

### Changing the name of a mailbox

- V  $\Phi$   $\Xi$   $\Phi$  Settings  $\Phi$  SMS Mailboxes  $\Phi$  S (Select mailbox)

$\$edit\$$  Press the display key.

~ Enter new name.

$\$save\$$  Press the display key.

### Changing a mailbox's PIN and ID

- V  $\Phi$   $\Xi$   $\Phi$  Settings  $\Phi$  SMS Mailboxes  $\Phi$  S (Select mailbox)

~ Enter mailbox PIN if necessary and press  $\$OK\$$

- ⊗ Set Box ID, Protection and SMS PIN ( $\Phi$ , page 44).

### Sending an SMS to a personal mailbox

---

To send an SMS to a personal mailbox, the sender must know your ID and enter it after your number.

- ⊗ You can send your SMS contact an SMS via your personal mailbox.

Along with this SMS, your SMS contact will receive your SMS number with current ID and can save it in their directory. If the ID is invalid, the SMS will not be delivered.

## Setting SMS centres

---

SMS messages are exchanged between SMS centres operated by service providers. You must enter the SMS centre through which you wish to send and receive SMS messages into your phone. You can receive SMS messages from every SMS centre that is entered, provided you have registered with your service provider.

Your SMS messages are sent via the SMS centre that is entered as the active send service centre ( $\Phi$ , page 45). Only one SMS centre can be the active send service centre at any one time.

If no SMS service centre is entered, the SMS menu only contains the entry **Settings**. Enter an SMS Service Centre ( $\Phi$ , page 44).



## SMS (text messages)

# SMS troubleshooting

### Error codes when sending

E0	Calling Line Identification permanently withheld (CLIR) or Calling Line Identification not activated.
FE	Error occurred during SMS transfer.
FD	Connection to SMS centre failed; see self-help.

### Self-help with errors

The following table lists problem situations and possible causes and provides advice on troubleshooting.

<p>You cannot send messages.</p> <ol style="list-style-type: none"><li>You have not requested the CLIP service (Calling Line Identification Presentation). ✘ Ask your service provider to enable this service.</li><li>SMS transmission has been interrupted (e.g. by a call). ✘ Re-send the SMS.</li><li>The network provider does not support this feature.</li><li>No number or an invalid number is entered for the SMS centre set as the active send service. ✘ Enter the number (☞ page 44).</li></ol>
<p>You receive an incomplete SMS.</p> <ol style="list-style-type: none"><li>Your phone's memory is full. ✘ Delete old SMS messages (☞ page 41).</li><li>The service provider has not yet sent the rest of the SMS.</li></ol>
<p>You have stopped receiving SMS messages.</p> <ol style="list-style-type: none"><li>You have changed the ID of your mailbox. ✘ Give your SMS contacts your new ID or undo the change (☞ page 44).</li><li>You have not activated your mailbox. ✘ Activate your mailbox (☞ page 44).</li><li>Call divert (redirecting) is set to <b>When: All Calls</b> or <b>All Calls</b> is activated for the network mailbox. ✘ Change the call divert settings (☞ page 31).</li></ol>

<p>The SMS is played back.</p> <ol style="list-style-type: none"><li>The "display call number" feature is not activated. ✘ Ask your service provider to activate this function (chargeable).</li><li>No agreement is in place between your mobile phone operator and your fixed line network SMS service provider. ✘ Obtain information from your fixed line network SMS service provider.</li><li>Your terminal has been recorded by your SMS provider as having no fixed line network SMS functionality, i.e., you are not registered with the provider. ✘ Send any SMS to automatically register your telephone to receive SMS.</li></ol>
<p>Messages are only received during the day.</p> <p>The terminal is recorded in your SMS provider's database as having no fixed line network SMS functionality, i.e., you are not registered with the provider. ✘ Obtain information from your fixed line network SMS service provider. ✘ Send any SMS to automatically register your telephone to receive SMS.</p>

## Operating the Gigaset S795 base answering machine

---

You can access the answering machine via the handset, the buttons on the base (☰ page 4) or by remote operation (from another phone/mobile phone). You can record your own announcement message or advisory message via the handset.

### Answering machine mode

You can use the answering machine in two different modes:

- U In **Answer & record** mode, the caller hears the announcement and can then leave a message.
- U In **Answer only** mode, the caller hears your announcement but cannot leave a message.

### Operating via the handset

---

The handset loudspeaker activates **automatically** if you receive an acoustic prompt or message while operating. You can switch it off with the speaker key ☐ .

### Activating/deactivating and setting the answering machine mode

---

You can choose between **Answer & record**, **Answer only** and **Alternating**. By using the **Alternating** setting, you can activate answer and record mode for a set period of time, outside this period the caller will only hear the announcement.

- ∨ ☰ 1 ☰ **Activation** (∨ = on)
- ☰edit\$ Press the display key.

☒ You can enter data in the following fields:

#### Activation:

Select **On** or **Off** to activate/deactivate the answering machine.

- **Mode:**  
Select **Answer & record**, **Answer only** or **Alternating**.

If **Alternating** mode is selected:

**Record from:**

Enter hours/minutes for the start of the period in 4-digit format.

(The time **must** be set on the phone beforehand.)

**Record until:**

Enter hours/minutes for the end of the period in 4-digit format.

If **Answer & record** is not set, **Answer only** mode applies.

☰save\$ Press the display key.

If the messages memory is full and **Activation: On** has been selected, saving is interrupted and you will receive an instruction to delete old messages.

When you switch the answering machine on, the remaining memory time is announced. If the time has not yet been set, an appropriate announcement is made (set time ☰ page 15). The ⏏ icon appears in the display. The LED display on the base lights up (☰ page 4).

The phone is supplied with pre-recorded announcements for **Answer & record** mode and for **Announce only** mode. If a personal announcement has not been recorded, the relevant pre-recorded announcement is used.

### Recording personal announcements/ • advisory messages

---

∨ ☰ 1 ☰ **Announcements**  
☰ Rec. Announcement / Rec. Advisory

**Msg.**

☰OK\$ Press the display key to start the recording.

You hear the ready tone (short tone).

☒ Now speak your announcement (at least 3 secs.).

☰End\$ Press the display key to end the recording.



## Operating the Gigaset S795 base answering machine

Cancel recording with **a** or **Back**. Restart the recording with **OK**.

After recording, the announcement is played back for you to check. You can re-record the announcement with **New**.

### Please note:

- U Recording ends automatically if the maximum recording time of 170 seconds is exceeded or there is a break in speech for more than 2 seconds.
- U If you cancel the recording, the pre-recorded announcement is used again.
- U If the answering machine's memory is full, it will switch to **Answer only** mode.
- X Delete old messages and the answering machine will automatically switch back to **Answer & record** mode. Repeat recording if required.

## Playing back personal announcements/ • advisory messages

**v** **☺** **i** **☺** Announcements  
**☺** Play Announcement / Play Advisory

Msg:

If you have not recorded a personal announcement, the relevant pre-recorded announcement is played.

Record a new announcement while playing back the announcement:

**New** Press the display key.

If the answering machine's memory is full, it will switch to **Answer only** mode.

- X Delete old messages and the answering machine will automatically switch back to **Answer & record** mode. Repeat recording if required.

## Deleting personal announcements/ • advisory messages

**v** **☺** **i** **☺** Announcements  
**☺** Del. Announcement / Del. Advisory

Msg:

**Yes** Press the display key to confirm the prompt:

Once you have deleted your announcement, the relevant pre-recorded announcement is used again.

### Please note

Deleting announcements can take some time.

## Playing back messages

The date and time of each message is logged (provided this has been set, **☺** page 15) and displayed during the playback. If Calling Line Identification is activated, the caller's number is displayed. If the caller's number is saved in the directory, their name is displayed.

## Playing back new messages

New messages that have not yet been played back are indicated on the display with an icon and number:



The **F** key on the handset and the display on the base will flash. The number of new messages is displayed on the base.

**F** Press the message key.

**Answer. Mach.:**

Select and press **OK**.

If there are new messages, playback then begins with the first new message. After the last new message, you will hear the end tone and an announcement stating how much recording time remains.

## Operating the Gigaset S795 base answering machine

If the message has been saved with the date and time, you will hear an appropriate announcement before playback begins.

### Playing back old messages

You can listen to old messages if there are no more new messages. Begin playback as described under "Playing back new messages".

After the entry time and date have been played back (after approx. 3 seconds) a new message assumes the status "old".

### Stopping and controlling playback

During message playback:

2 Pause playback. Press 2 again to resume.

or

\$Options\$ Open menu.

Pause Select and press \$OK\$

To continue select **Continue** and press \$OK\$

t or **1**

Go to the start of the current message.

Press **twice** to go back to the previous message.

S or 3

Skip to next message.

Press **twice** to skip ahead two messages.

If playback is interrupted for over a minute, the answering machine returns to idle status.

### Marking a message as "new"

A previously played back "old" message is displayed as a "new" message again.

**During message playback:**

\* Press the star key.

or:

\$Options\$ Open menu.

**Mark as New**

Select and press \$OK\$

An announcement informs you of the message's new status.

Playback of the current message is cancelled. Playback of next message starts, if applicable.

The **F** key on the handset flashes.

### Copying a phone number from a message to the directory

During playback or pause:

\$Options\$ **C** **Copy to Directory**

**X** Complete the entry (**C** page 34).

### Deleting messages

---

You can either delete all old messages together or individually.

#### Deleting all old messages

During playback or pause:

\$Options\$ **D** **Delete Old List**

\$OK\$ Press the display key to confirm the prompt.

\$Yes\$ Press the display key to confirm the prompt.

#### Deleting individual old messages

During playback or pause:

\$Delete\$ Press the display key.

### Picking up a call from the answering machine

---

You can pick up a call while the answering machine is recording or is being operated via remote operation:

**C** / \$Accept\$

Press the talk or display key.

Recording stops and you can speak to the caller.

If two seconds of the call have already been recorded when you pick it up, the call is displayed as a new message. The **F** key on the handset flashes.

You can answer the call, even if it is not signalled on the handset.

## Operating the Gigaset S795 base answering machine

### **Diverting an external call to the answering machine**

---

You can divert an incoming external call to the answering machine, even if it is deactivated.

**Prerequisite:** Sufficient memory space is available on the answering machine.

An external call is signalled on the handset:

- Select display key.

The answering machine starts immediately in **Answer & record** mode and records the call. The set time for ring delay (☰ page 50) is ignored.

### **Activating/deactivating two-way record**

---

You can record an external call with the answering machine.

- ☒ Inform the caller that the call is being recorded.

☰Options☑ Open menu.

#### **Two-way Record**

Select and press ☰OK☑

Two-way record is indicated on the display by an advisory text and is added to the answering machine list as a new message.

☑End☑ Press the display key to stop two-way record.

The maximum recording time depends on the memory available on the answering machine. If the memory is full, you will hear an end tone, the recording is aborted, and the call recorded up to that point is listed in the answering machine list as a new message.

- **Activating/deactivating call screening**
- 

While a message is recording, you can screen calls via the base loudspeaker and registered handsets.

#### **Permanently activating/deactivating call screening**

∨ ☰ 1 ☰ **Call Screening**  
☰ **Handset / Base** (3 = on)

☑Change☑ Select display key to activate/deactivate the function.

Call screening can be simultaneously activated on the base and handset.

#### **Deactivating call screening for the current recording**

You can deactivate the function for your own handset during the recording.

☑Silence☑ Press the display key.

- **Setting the recording parameters**
- 

The answering machine has already been preset at the factory. Individual settings can be adjusted using the handset.

∨ ☰ 1 ☰ **Recordings**

- ☒ You can enter data in the following fields:

##### **Length:**

Select maximum recording time **1 min., 2 min., 3 min. or Maximum.**

##### **Quality:**

Select **Long Play** or **High** recording quality. If the quality is higher, the maximum recording time is reduced.

##### **Ring Delay:**

Select when the answering machine should accept a call:

**Immediately, after 10 sec., 18 sec., 30 sec. or Automatic.**

☑Save☑ Press the display key.

### Information about ring delay

In **Automatic** mode, the following applies for ring delay:

- U If there are no new messages, the answering machine answers a call after 18 seconds.
  - U If there are new messages, the answering machine answers a call after 10 seconds.
- When operating remotely (☒ page 51), you can tell after approx. 15 seconds that there are no new messages (otherwise the answering machine would have already accepted your call). There are no call charges if you hang up now.

#### Please note:

You can configure your telephone so that the **first ring is suppressed** on all calls (☒ page 41). This means that the time selected for the ring delay predetermines how long the caller must wait before the answering machine accepts the call.

### • Resetting fast access for the answering machine using key 1

---

By default, key **1** has been assigned for fast access to the integrated answering machine. However, if you have set the network mailbox for fast access (☒ page 53), you can reset this setting.

- ∨ ☒ 1 ☒ Set Key 1

#### Answering Machine

Select and press **OK**

Once you have selected the answering machine, press and **hold** key **1**. You are connected directly.

The setting for fast access applies to all registered handsets.

### Operating when on the move (remote operation)

---

You can check and activate your answering machine from any other telephone (hotel, pay phone etc.), or initiate ringback from the answering machine with an SMS.

#### Prerequisites:

- U You have set a system PIN other than 0000 (☒ page 70).
- U The phone you are using for remote operation has tone dialling (DTMF), i.e., you hear different tones when you press the keys. Alternatively, you can use a code transmitter (available from your mobile phone retailer).

### Calling the answering machine and playing back messages

---

- ~ Dial your own number.
- 9 ~ When you hear your announcement, press 9 and enter the system PIN.

You are informed whether any new messages have been recorded. The messages are now played back. You can now operate the answering machine with the keypad.

The following keys are used for operation:

- A To return to the start of the current message. Press twice to go back to the previous message.
- B Stop playback. Press again to resume.
- 3** Go to the next message.
- Delete current message.

## Operating the Gigaset S795 base answering machine

### **Activating the answering machine**

**ⓘ** Phone home and let the phone ring until you hear: "Please enter PIN".

~ Enter system PIN.

Your answering machine is activated. It tells you how much memory time is left.

The messages are now played back.

The answering machine cannot be deactivated remotely.

### **Initiating ringback from the answering machine with SMS and listening to messages**

**Prerequisite:** You must have stored an SMS notification number (📄 page 43).

You can use the telephone (mobile phone or any other device with SMS functionality) for which you have stored the SMS notification number in your phone to send an SMS to your answering machine when you are away from home. It will then call you back. The message playback begins when you accept the call and press any digit key.

The SMS must contain the following:

\*<System PIN>\*<Ringback number>\*

The ringback number is optional.

Examples:

\*4711\* or \*4711\*089123456\*

If a ringback number is entered, it is dialled; otherwise the SMS notification number is dialled.

You can now operate the answering machine via the keypad, as described in the previous sections.

## Using the network mailbox

---

The network mailbox is your network provider's answering machine within the network. You cannot use the network mailbox unless you have requested it from your network provider.

- **Configuring fast access for the network mailbox**

---

With fast access, you can dial the network mailbox or the integrated answering machine (Gigaset S795 only) directly.

Gigaset S790: Fast access is preset for the network mailbox. You only need to enter the number of the network mailbox.

Gigaset S795: The integrated answering machine is preset for fast access. You can configure the network mailbox instead. Ask your network provider about this.

### Configuring fast access for the network mailbox and entering the network mailbox number

Gigaset S790:

∨ Ⓢ Ⓜ Ⓢ Set Key 1

Network Mailbox

Select and press  $\{\text{Network Mailbox}\}$  (● Select=selected).

Gigaset S795:

∨ Ⓢ Ⓜ Ⓢ Network Mailbox

To continue:

~ Enter the number for the network mailbox.

ⓈSaveⓈ Press the display key.

The setting for fast access applies to all Gigaset S79H handsets.

### Calling the network mailbox

**1 ∞** Press and hold. You are connected straight to the network mailbox.

Ⓢ Press speaker key Ⓢ if required. You will hear the network mailbox announcement.

### Viewing the network mailbox message

---

When a message is recorded, you receive a call from the network mailbox. If you have requested Calling Line Identification, the network mailbox number is displayed. If you accept the call, the new messages are played back. If you do not accept the call, the network mailbox number is saved in the missed call list and the message key flashes (Ⓢ page 37).

#### Please note

Enter the network mailbox phone number into your directory along with the designation "Network mailbox"; the display and the call list will then show this designation.

## ECO DECT

# ECO DECT

You are helping to protect the environment with your Gigaset S790/S795.

## Reducing energy consumption

By using a power-saving adapter plug, your telephone consumes less power.

## Reducing radiation

The radiation from your telephone is reduced **automatically**:

- ↳ **Handset:** The closer the handset is to the base, the lower the radiation.
- ↳ **Base station:** The radiation is reduced to virtually zero when only one handset is registered and the handset is placed in the base.

You can reduce the radiation from the handset and base even more by using **Eco Mode**.

### ↳ Eco Mode

Reduces the radiation of the base station and handset by 80% - whether you are making a call or not. **Eco Mode** reduces the range of the base station by approx. 50%. Using **Eco Mode** always makes sense when a reduced range is sufficient.

## Switching off radiation

### ↳ Eco Mode+

When you activate **Eco Mode+**, radiation (DECT transmission power) from the base and handset is switched off in the idle state.


This is also true when multiple handsets are used, provided the handsets support **Eco Mode+**.

**Eco Mode / Eco Mode+** can be activated/deactivated independently of one another and can also be used with multiple handsets. The handset must not be placed in the base.









## Activate/deactivate Eco Mode /Eco

### Mode+:



- ↳  **Eco Mode**
- ↳  **Eco Mode / Eco Mode+**

§Change§ Press the display key (  = on).

## Status displays

Display icon	Signal strength:
   	– good to poor – no signal
 <b>white</b>	<b>Eco Mode deactivated</b>
 <b>green</b>	<b>Eco Mode activated</b>
 ¼ white	<b>Eco Mode+ activated</b> (displayed instead of the reception strength icon when in idle status)
 ¼ green	<b>Eco Mode and Eco Mode+ activated</b>

### Please note

- ↳ With **Eco Mode+** activated, press and hold the talk key  to check that the base can be reached. You will hear the dialling tone if the base can be reached.
- ↳ When **Eco Mode+** is activated:
  - Call setup is delayed by approx. two seconds.
  - Handset standby time is reduced by approx. 50%.
- ↳ Registering handsets that do not support **Eco Mode+** will cause the mode to be deactivated on the base and all other handsets.
- ↳ Activating **Eco Mode** reduces the range of the base.
- ↳ **Eco Mode / Eco Mode+** and repeater support (  page 69) cancel each other out, i.e., if you use a repeater, you cannot use **Eco Mode** or **Eco Mode+**.





## Setting an appointment (calendar)

or:

**\$SMS** Press the display key to respond to the appointment reminder with an SMS.

**Please note** \_\_\_\_\_  
During a call, the appointment reminder is signalled by a short tone.

## Managing appointments

---

**v** **☐** **⌂** **☐** **Calendar**

### Editing individual appointments

**r** **/q** Select a day in the graphical calendar and press the control key **v**. (Days on which appointments have already been saved are highlighted in white in the calendar).

**q** Select appointment for the day.

You have the following options:

**\$View** Press the display key and edit or confirm the entry.

or

**\$Options** Open the menu for editing, deleting and activating/deactivating.

### Deleting all appointments for one day

**\$Options** **☐** **Delete all Appts.** **☐** **\$OK**

Confirm the security prompt with **\$Yes**  
All appointments are deleted.

## Displaying missed appointments, anniversaries

---

Missed appointments/anniversaries

(**☐** page 34) are displayed in the **Missed**

**Alarms** list if:

- u** You do not accept an appointment/anniversary.
- u** The appointment/anniversary was signalled during a phone call.
- u** The handset is deactivated at the time of the appointment/anniversary.
- u** Automatic redial was activated at the time of an appointment/anniversary (**☐** page 35).

The icon **⌂** and the number of **new** entries are shown in the display. The most recent entry is at the head of the list.

Open the list by pressing the **message key** **f** (**☐** page 37) or via the menu:

**v** **☐** **⌂** **☐** **Missed Alarms**

Select appointment/anniversary.

Information about the appointment/anniversary is displayed.

A missed appointment is displayed with the appointment name and a missed anniversary is displayed with the last name and first name. The date and time will also be given.

Delete appointment.

Write an SMS.

If 10 entries are already stored in the list, the next appointment reminder will delete the oldest entry.

## Setting the alarm clock

---

**Prerequisite:** The date and time have already been set (☰ page 15).

### Activating/deactivating and setting the alarm clock

---

∨ ☰ ☰ Alarm Clock

⊗ You can enter data in the following fields:

**Activation:**

Select **On** or **Off**.

**Time:**

Enter the wake-up time in 4-digit format.

**How often:**

Select **Daily** or **Monday-Friday**.

**Volume:**

Set the volume (1–6).

**Melody:**

Select melody.

⌘ Save⌘ Press the display key.

In idle status, the ⏰ icon and wake-up time are displayed.

A wake-up call is signalled on the display and with the selected ringtone (☰ page 3). The wake-up call sounds for 60 seconds. If no key is pressed, the wake-up call is repeated twice at five minute intervals and then switched off.

**While the wake-up call sounds,** you can permanently change the volume by pressing the side keys ⏪ (louder) or ⏩ (quieter).

During a call, the wake-up call is only signalled by a short tone.

### Deactivating the wake-up call/repeating after a pause (snooze mode)

---

**Prerequisite:** A wake-up call is sounding.

⏪⏪ Press the display key. The wake-up call is deactivated.

or

⏪ Snooze⏪ Press the display key or any key. The wake-up call is deactivated and then repeated after 5 minutes. After the second repetition the wake-up call is deactivated completely.

## Using multiple handsets

# Using multiple handsets

## Registering handsets

You can register up to six handsets to your base.

A Gigaset S79H handset can be registered on up to four bases.

### Manually registering a Gigaset S79H to a Gigaset S790/S795

You must activate manual registration of the handset on both the handset (1) and the base (2).

When the registration process has completed successfully, the handset returns to idle status. The handset's internal number is shown in the display e.g., INT 1. If not, repeat the procedure. .

<p><b>1) On the handset</b></p> <p>The handset is not registered to a base. Register<sup>§</sup> Press the display key.</p> <p>The handset is already registered to a base: ✓ ◀ i ◀ Registration ◀ Register Handset</p> <p>If the handset is already registered to four bases:</p> <p>S Select base, e.g., <b>Base 3</b> and press <b>OK</b> ~ If required, enter the system PIN for the base and press <b>OK</b></p> <p>A message appears stating that the handset is searching for a base that is ready for registration.</p>	<p><b>2) On the base</b></p> <p>Within 60 seconds press and hold the registration/paging key on the base (◀ page 4) (approx. 3 seconds).</p>
---	--

## Registering other handsets

You can register other Gigaset handsets and handsets for other devices with GAP functionality as follows. .

<p><b>1) On the handset</b></p> <p>Start to register the handset as described in its user guide.</p>	<p><b>2) On the base</b></p> <p>Press and hold the registration/paging key on the base (◀ page 4) (approx. 3 sec.).</p>
--	---

## De-registering handsets

You can de-register any other registered handset from any registered Gigaset S79H handset.

✓ ◀ i ◀ Registration ◀ De-reg. Handset	S Select the internal subscriber you wish to de-register and press <b>OK</b> ~ (The handset you are currently using is highlighted with <>). Enter the current system PIN and press <b>Save</b> Press the display key.
---	---

## Locating a handset ("Paging")

You can locate your handset using the base.

- ✘ Briefly press the registration/paging key on the base (◀ page 4).
- ✘ All handsets will ring simultaneously ("paging"), even if the ringtones are deactivated.

### Ending paging

- ✘ Briefly press the registration/paging key on the base or press the talk key **C** on the handset.

## Changing the base

---

If your handset is registered to more than one base, you can set it to a particular base or to the base that has the best reception (**Best Base**).

- V **☒ i ☒ Registration ☒ Select Base**
- S Select one of the registered bases or **Best Base** and press **☒select**

## Making internal calls

---

Internal calls to other handsets registered on the same base are free.

### Calling a specific handset

- U Initiate internal call.
- ~ Enter the number of the handset.

or:

- U Initiate internal call.
- S Select handset.
- C Press the talk key.

### Calling all handsets ("group call")

- U Press and hold.
- or:
- U Initiate internal call.
- \* Press the star key.

or

- C Select
- C Press the talk key.

All handsets are called.

### Ending a call

- a Press the end call key.

## Transferring a call to another handset

---

You can transfer an external call to another handset (connect).

- U Open the list of handsets.  
The external participant hears music on hold, if activated (**☒** page 69).
- S Select a handset or **Call All** and press **☒OK**

When the internal participant answers:

- ☒ If necessary, announce the external call.
- a Press the end call key.

The external call is transferred to the other handset.

If the internal participant does not answer or the line is busy, press the display key **☒End** to return to the external call.

When transferring a call, you can also press the end call key **a** before the internal participant answers.

Then, if the internal participant does not answer or the line is busy, the call will automatically return to you.

## Internal consultation/conference calls

---

When you are conducting an **external** call, you can call an **internal** participant at the same time for consultation or hold a conference call between all 3 participants.

You are conducting an **external** call:

- U Open the list of handsets.  
The external participant hears music on hold, if activated (**☒** page 69).

- S Select handset and press **☒OK**.  
The internal participant is called.

If the participant picks up, you can **either**:

- ☒End** Press the display key.  
You are reconnected with the external participant.

## Using multiple handsets

or:

**Conference** Press the display key.  
All 3 participants are connected with each other.

**Please note**

- U If only two handsets are registered, the other handset is called immediately by pressing the U key.
- U Pressing and holding the U key calls all handsets immediately.

### Ending a conference call

a Press the end call key.

If an internal participant presses the end call key a , the other handset remains connected to the external participant.

### Accepting/rejecting call waiting

If you receive an external call during an internal call, you will hear the call waiting tone (short tone). With Calling Line Identification, the caller's number will appear in the display.

#### Ending an internal call, accepting an external call

**Accept** Press the display key.

The internal call is ended. You are connected to the external caller.

#### Rejecting the external call

**Reject** Press the display key.

The call waiting tone is turned off. You remain connected to the internal participant. The ringtone can still be heard on other registered handsets.

### Listening in to an external call

**Prerequisite:**The Listening In function must be activated.

You are conducting an external call. An internal participant can listen in on this call and take part in the conversation. All the participants are made aware of additional listeners by a signal tone.

- **Activating/deactivating listening in**

√ **i** **i** **Telephony** **i** **Listening In**  
Press **Change** to activate/deactivate the function (3 = on).

### Internal listening in

The line is engaged with an external call. Your screen will display information to that effect. To listen in to the external call.

C Press and hold the talk key.

You can listen in to the call. All participants hear a signal tone. During this time, this handset displays the **Conference** message and it is not possible to dial another number from this handset.

### Ending listening in

a Press the end call key.

All participants hear a signal tone.

If the first internal participant presses the end call key a , the handset that has "listening in" remains connected to the external participant.

### Changing the name of a handset

The names "INT 1", "INT 2" etc. are assigned automatically on registration. You can change these names: The name must be no more than 10 characters: The changed name is displayed in every handset's list.

U Open the list of handsets. Your own handset is indicated by ▲.

S Select handset:

**Options** Open menu.

**Rename**

~ Enter name.

**Save** Press the display key.

## Using a handset as a room monitor

If you accept an incoming call, the room monitor is suspended for the duration of the call, but the function **remains** activated.

If you deactivate then reactivate the handset, the room monitor remains activated.

### Warning!

- U **Always check the operation of the room monitor before use.** For example, **test its sensitivity. Check the connection if you are diverting the room monitor to an external number.**
- U When the function is switched on, the handset's operating time is considerably reduced. If necessary, place the handset in the base/charger. This ensures that the battery does not run down.
- U Ideally the handset should be positioned 1 to 2 metres away from the baby. The microphone must be directed towards the baby.
- U The connection to which the room monitor is diverted must not be blocked by an activated answering machine.

## Using a handset as a room monitor

If the room monitor is activated, a previously saved destination number is called as soon as a set noise level is reached. You can save an internal or external number in your handset as the destination number. All of the handset keys are deactivated, with the exception of the display keys.

The room monitor call to an external number is terminated after approximately 90 seconds. The room monitor call to an internal number (handset) is terminated after approximately 3 minutes (depending on the base). When the room monitor is activated, all keys are locked except the end call key. The handset's speaker is muted.

When the room monitor is activated, incoming calls to the handset are indicated **without a ringtone** and are only shown on the screen. The display and keypad are not illuminated and advisory tones are also turned off.

## Activating the room monitor and entering the destination number

- ∨ ☎ ☎ Room Monitor


⌘ You can enter data in the following fields:


### Activation:

Select **On** to activate.

### Alarm to:

Select **Internal** or **External**.

**External number:** Select the number from the directory (press display key ) or enter it manually.

**Internal number:** Select display key . Select handset or **Call All** to call all registered handsets .

In idle status, the destination number or the internal destination number is displayed.


## Handset settings

### Sensitivity:

Select noise level sensitivity (**Low** or **High**).

- ❑ Press **Save** to save the settings.

When the room monitor function is activated, the idle display appears as shown below:



## Changing the set destination number

- ▼ **☰** **☰** Room Monitor

- ❑ Enter and save number as described in "Activating the room monitor and entering the destination number" (☰ page 61).

## Cancel/deactivate room monitor

Press the end call key **a** to cancel the call when the **room monitor is activated**.

In **idle status**, press the display key **OFF** to deactivate room monitor mode.

## Deactivating the room monitor remotely

**Prerequisites:** The phone must support tone dialling and the room monitor should be set for an external destination number.

- ❑ Accept the call from the room monitor and press keys **9** ; **.**

The room monitor function will deactivate after the call ends. There are no further room monitor calls. The other room monitor settings on the handset (e.g., no ringtone) will remain activated until you press the display key **OFF** on the handset.

To reactivate the room function with the same phone number:

- ❑ Turn on the activation again and save with **Save** (☰ page 61).

## Handset settings

Your handset is preconfigured, but you can change the settings to suit your individual requirements.

## Quick access to numbers and functions

You can assign a number from the directory to each of the **digit keys** **0** and **2** to **0** .

The left and right **display keys** have a default **function**. You can change the assignment (☰ page 63).

The number is then dialled or the function started by simply pressing a key.

## Assigning digit keys

**Prerequisite:** You have not yet assigned a number to the digit key.

- ❑ Press and **hold** the digit key

or

Press the **digit key briefly** and press the display key **QuickDial**.

The directory opens.

- ❑ Select an entry and press **OK**.

The entry is saved to the corresponding digit key.

### Please note

If you delete or edit the entry in the directory at a later date, this will not affect the assignment to the number key.

## Selecting numbers/changing an assignment

---

**Prerequisite:** The digit key already has a number assigned to it.

When the handset is in idle status

- ⌘ Press and **hold** the digit key:  
The number is dialled immediately.

or

- ⌘ **Briefly** press the digit key.

Press the display key with the number/name (abbreviated if necessary) to select the number **or** press the display key  $\langle \text{Change} \rangle$  to change the assignment **or** to delete the assignment.

## Changing display key assignments

---

- ⌘ Press and **hold** the left or right side of the display key.

The list of possible key assignments is opened. The following can be selected:

### Room Monitor

Assign menu for setting and activating the room monitor to a key ( $\langle \text{F}$  page 61).

### Alarm Clock

Assign menu for setting and activating the alarm clock to a key ( $\langle \text{F}$  page 57).

### Calendar

Display graphical calendar ( $\langle \text{F}$  page 55).

### Redial

Display the redial list.

### More Functions...

More features are available:

#### Call Lists

Display call lists ( $\langle \text{F}$  page 36).

#### INT

Internal calls ( $\langle \text{F}$  page 59).

#### SMS

Assign menu for SMS functions to a key ( $\langle \text{F}$  page 40).

#### Withhold Number

Withhold Calling Line Identification for the next call ( $\langle \text{F}$  page 30).

- ⌘ Select an entry and press  $\langle \text{OK} \rangle$

## Changing the display language

---

You can view the display texts in different languages.

- ∨  $\langle \text{F} \rangle$   $\langle \text{i} \rangle$   $\langle \text{F}$  Language

The current language is indicated by a  $\bullet$ .

- S Select language and press  $\langle \text{Select} \rangle$

If you accidentally choose a language you do not understand:

- ∨  $\langle \text{F} \rangle$   $\langle \text{i} \rangle$   $\langle \text{F} \rangle$  S  $\langle \text{F} \rangle$  S  $\langle \text{F} \rangle$  S

Press keys in sequence and confirm by selecting  $\langle \text{OK} \rangle$

- S Select the correct language and press the **right display key**.

## Setting the display

---

### Setting the screensaver/slide show

When in idle state, a picture or a slide show (all the pictures are displayed one after the other) from the **Screensaver** folder of the **Resource Directory** ( $\langle \text{F}$  page 67) or the time can be displayed as a screensaver. This will replace the idle state display.

The screensaver is not displayed in certain situations, e.g., during a call or if the handset is de-registered.

If a screensaver is activated, the Screensaver menu option is marked with  $\checkmark$ .

- ∨  $\langle \text{F} \rangle$   $\langle \text{i} \rangle$   $\langle \text{F}$  Display + Keypad
- $\langle \text{F}$  Screensaver

The current setting is displayed.

- ⌘ You can enter data in the following fields:

#### Activation:

Select **On** (screensaver is displayed) or **Off** (no screensaver).



## Handset settings

### Selection :

Select screensaver or

**View** Press the display key. The active screensaver is displayed.

**S** Select screensaver and press **OK**.

**Save** Press the display key.

**Briefly** press the end call key **a** to return to the idle display.

#### Please note

If the analogue clock has been set as the screensaver, the **second hand** is shown only when the handset is in the base.

## Setting large font

You can increase the font size of print and symbols in call lists and in the directory to improve readability. Only one entry is shown at a time on the display instead of several entries and names are abbreviated if necessary.

**Display + Keypad**

**Large Font**

**Change** Press display key (<sup>3</sup> = on).

## Setting the colour scheme

You can set the display to be shown in various colour combinations.

**Display + Keypad**

**Colour Schemes**

Select Colour Scheme (1 to 5) and press **OK**.

- **Setting the display Backlight**

Depending on whether or not the handset is in the base/charger, you can activate or deactivate the backlight. If it is activated, the display is permanently dimmed. If the backlight is deactivated it is switched on by pressing any key. In this case the pressed key has no other function.

**Display + Keypad**

**Display Backlight**

The current setting is displayed.

You can enter data in the following fields:

### In Charger

Select **On** or **Off**.

### Out of Charger

Select **On** or **Off**.

#### Please note

With the **On** setting, the standby time of the handset can be significantly reduced.

**Save** Press the display key.

## Setting keypad illumination

The brightness of the keypad illumination can be set to one of five levels.

**Display + Keypad**

**Keypad Illumination**

The current setting is displayed.

You can enter data in the following fields:

### Brightness:

Select 1 (darkest) to 5 (brightest).

**Save** Press the display key.

- **Activating/deactivating auto answer**

If you activate this function, when you receive a call you can simply lift the handset out of the base/charger without having to press the talk key **C**.

**Display + Keypad** **Auto Answer**

**Change** Press display key (<sup>3</sup> = on).

## Changing the speaker/earpiece volume

You can set the loudspeaker volume for speaker mode and the earpiece volume to five different levels.

During a conversation via the earpiece or in speaker mode:

∅ / ÷ Press the side key to call up the

**Handset Volume** menu.

Change the volume by pressing ∅ (louder) or ÷ (quieter).

or

t Press the control key to call up the **Handset Volume** menu. Set the earpiece or speaker volume by pressing r .

The setting will automatically be saved after approximately 3 seconds, if not then press the display key **Save**.

If t is assigned to another function, e.g., call swap (∅ page 31):

**Options** Open menu.

**Volume** Select and press **OK**

Configure setting (see above).

### Please note

- U The settings for the earpiece also apply to a connected headset.
- U You can also set the call volume using the menu (∅ page 27).

## Setting a handsfree profile

In idle state, you can set various handsfree profiles to optimally adapt your phone to your environment.

### Profile 1

The optimum setting for most connections and set as default.

### Profile 2

Optimum volume in handsfree mode. However, this means that the participants cannot speak at the same time as the person speaking is given preferential transmission (making two-way conversations difficult).

### Profile 3

Optimises two-way conversations; both callers can hear each other, even if they talk at the same time.

### Profile 4

Optimised for special connections. If the default setting (profile 1) does not provide optimum sound, please give this a try.

### ∅ i ∅ Audio Settings

#### ∅ Handsfree Profiles

Select handsfree profile (1 to 4) and press **Select**.

## Changing ringtones

U Volume:

You can choose between five volumes (1–5; e.g. volume 3 = S ) and the "cre-scendo" ringtone (6; volume increases with each ring = ‡ ).

U Ringtones:

You can select a ringtone from a list of pre-loaded melodies.

You can select various ringtones, melodies or any sound from the Resource Directory (∅ page 67).

You can set different ringtones for the following functions:

- U Int. Calls
- U Extern. Calls

## Handset settings

### Setting volume/melodies

---

In idle status:

∨ ◂ ◃ ◂ ◃ ◂ ◃ Audio Settings  
◂ ◃ ◂ ◃ ◂ ◃ Ringtones(Handset) ◂ ◃ Volume/  
Melodies

r Setting volume/melodies for  
internal calls and anniversaries.

S Scroll to the next line.

r Setting volumes/melodies for  
external calls.

⌘ Save⌘ Press the display key to save the  
setting.

**While the phone is ringing,** you can permanently change the volume by pressing the side keys ◂ (louder) or ◃ (quieter).

- **Additionally for external calls:**

You can specify a time period when you do not want the telephone to ring, e.g., during the night.

∨ ◂ ◃ ◂ ◃ ◂ ◃ Audio Settings  
◂ ◃ ◂ ◃ ◂ ◃ Ringtones(Handset) ◂ ◃ Time Control

Time Control:  
Select On or Off.

If the time control is activated:

**Suspend ring, from:**  
Enter the start of the period in 4-digit format.

**Suspend ring, until:**  
Enter the end of the period in 4-digit format.

**Please note**

During this period, you will continue to receive calls from numbers to which you have assigned a personalised melody in the directory (VIP).

### Activating/deactivating the ringtone for unknown calls.

---

You can set your phone not to ring for calls where Calling Line Identification has been withheld. The call will only be signalled on the display.

In idle status:

∨ ◂ ◃ ◂ ◃ ◂ ◃ Audio Settings  
◂ ◃ ◂ ◃ ◂ ◃ Ringtones(Handset) ◂ ◃ Anon. Calls  
Silent

Press ⌘ Change⌘ to activate or deactivate the function (3 = on).

### Activating/deactivating the ringtone

---

You can deactivate the ringtone on your handset before you answer a call or when the handset is in idle status; the ringtone can be deactivated permanently or just for the current call. The ringtone cannot be re-activated while an external call is in progress.

#### Deactivating the ringtone permanently

\* Press and hold the star key.  
The ◂ icon appears in the display.

**Reactivating the ringtone**  
\* Press and hold the star key.

**Deactivating the ringtone for the current call**

**\$Silence\$** Press the display key.

**Activating/deactivating the alert tone**

In place of the ringtone, you can activate an alert tone. When you receive a call, you will hear a **short tone** ("Beep") instead of the ringtone.

\* Press and hold the star key and **within 3 seconds:**

**\$Beeper\$** Press the display key. A call will

now be signalled by **one short alert tone.**

**⏏** appears in the display.

## Resource Directory

The resource directory on the handset manages sounds, which you can use as ring-tones, and pictures, which you can use as caller pictures or as screensavers. Prerequisite: Calling Line Identification (CLIP). The resource directory can manage the following media types:

Type	Format
<b>Sound</b>	Internal
Ringtones	Internal
Monophonic	Internal
Polyphonic	Internal
Imported sounds	WMA, MP3, WAV
<b>Picture</b>	BMP, JPG, GIF
– Caller picture	128 x 86 pixels
– Screensaver	128 x 160 pixels

Various mono and polyphonic sounds and pictures are preconfigured on your handset. You can listen to the available sounds and view the pictures.

You can download pictures and sounds from a PC (Ⓜ page 79). If there is not enough memory available, you must first delete one or more pictures or sounds.

**Playing back sounds/viewing caller pictures**

∨ Ⓜ . Ⓜ Screensavers / Caller Pictures / Sounds (select entry)

**Pictures:**

**\$View\$**

Press the display key. The selected picture is displayed.

Switch between pictures using the **Q** key.

If you have saved a picture in an invalid file format, you will see an error message after selecting the entry.

**Sounds:**

The selected sound is played back immediately. Switch between the sounds using the **Q** key.

You can set the volume during playback.

**\$Options\$**

Open menu.

**Volume**

Select and press **\$OK\$**

**⏏**

Set volume.

**\$Save\$**

Press the display key.

**Deleting/renaming a picture/sound**

You have selected an entry.

**\$Options\$** Open menu.

If a picture/sound cannot be deleted (⏏), these options are not available. You can select the following functions:

**Delete Entry**

The selected entry is deleted.

**Rename**

Change the name (max. 16 characters) and press **\$Save\$**. The entry is stored with the new name.

**Checking the memory**

You can check how much memory is available for screensavers and caller pictures.

∨ Ⓜ . Ⓜ **Capacity**

## Handset settings

- **Activating/deactivating advisory tones**

---

Your handset uses advisory tones to tell you about different activities and statuses. The following advisory tones can be activated/deactivated independently of each other:

- U **Key tone:** every key press is confirmed.
- U **Acknowledge tones:**
  - **Confirmation tone** (ascending tone sequence): at the end of an entry/setting and when an SMS or a new entry arrives in the answering machine list or call list
  - **Error tone** (descending tone sequence): when you make an incorrect entry
  - **Menu end tone:** when scrolling to the end of a menu
- U **Battery low beep:** the battery needs charging.

In idle status:

- ∨ **⌘ i** **⌘ Audio Settings**
- ⌘ **Advisory Tones**

⌘ You can enter data in the following fields:

**Key Tones:**  
Select **On** or **Off**.

**Confirmation:**

Select **On** or **Off**.

**Battery:**

Select **On** or **Off**.

\$Save\$ Press the display key.

- **Setting your own area code**

---

To transfer phone numbers (e.g., in vCards), it is essential that your area code (international and local area code) is saved on the phone.

Some of these numbers are already preset.

- ∨ **⌘ i** **⌘ Telephony** **⌘ Area Codes**

Check that the (pre)set area code is correct.

⌘ You can enter data in the following fields:

- q Select/change input field.
- r Navigate in the input field.
- < C** If necessary, delete number: press the display key.
- ~ Enter number.
- \$Save\$ Press the display key.

**Example:**

Area Codes	
International code:	00 - 44
Local area code:	0 - 111
<b>&lt; C</b> Save	

- **Restoring the handset default settings**

---

You can reset individual settings and changes that you have made.

The following settings are **not** affected by a reset:

- U Registration to the base
- U Date and time
- U Entries in the calendar
- U Entries in the directory, the call lists, the SMS lists and the content of the resource directory

- ∨ **⌘ i** **⌘ System** **⌘ Handset Reset**
- \$Yes\$ Press the display key.

## Setting the base

The base settings are carried out using a registered Gigaset S79H handset.

## Changing the base Gigaset

### S795 ringtones

U Volume:

You can choose between five volumes (1–5; e.g., volume 3 = S ) and the "cre-scendo" ringtone (6; volume increases with each ring = † ).

U Ringtones:

You can select a ringtone from a list of pre-loaded melodies.

In idle status:

∨ **⌘ i** **⌘** Audio Settings

**⌘** Ringtones (Base)

⌘ You can enter data in the following fields:

r Set volume.

S Scroll to the next line.

r Set melody.

**⌘** Save Press the display key to save the setting.

- **Activating/deactivating music on hold**

∨ **⌘ i** **⌘** Audio Settings

**⌘** Music on hold

Press **⌘** Change to activate or deactivate the music on hold (**Ⓢ** = on).

- **Repeater support**

With a repeater, you can increase the range and signal strength of your base. You will need to activate repeater mode. This will terminate any calls that are in progress at the time.

**Prerequisite:** A repeater is registered.

∨ **⌘ i** **⌘** System **⌘** Repeater Mode

Press **⌘** Change to activate or deactivate repeater mode (**Ⓢ** = on).

**Please note**

U Eco Mode / Eco Mode+ (**⌘** page 54) and repeater support cancel each other out, i.e., if you use a repeater, you cannot use Eco Mode or Eco Mode+.

U Encrypted transmission activated at the factory is deactivated when a repeater is registered.

## Setting the base

- **Protecting against unauthorised access**

Protect the system settings of the base with a PIN known only to yourself. The system PIN must be entered when, for example, registering/de-registering a handset to/from the base or when restoring the default settings.

### Changing the system PIN

You can change the 4-digit system PIN set on the base (default setting: **0000**) to a 4-digit PIN known only by you.

Gigaset S795: Setting a system PIN facilitates remote operation of the answering machine (☞ page 51).

∨ ☐ i ☐ System ☐ System PIN

~ Enter the current system PIN and press **OK**

~ Enter your new system PIN and press **OK**

### Resetting the system PIN

If you have forgotten your system PIN, you can reset the base to the original code **0000**:

Disconnect the power cable from the base. Hold down the registration/paging key on the base while reconnecting the power cable to the base. Hold down the key for at least 5 seconds.

The base has now been reset and the system PIN set to **0000**.

#### Please note

All handsets are de-registered and must be re-registered. All settings are reset to the factory settings.

- **Resetting the base to the factory settings**

When the settings are restored:

- ∪ Date and time are retained
- ∪ Handsets are still registered

∪ **Eco Mode** is activated and **Eco Mode+** is deactivated,

∪ The system PIN is not reset.

∨ ☐ i ☐ System ☐ Base Reset

~ Enter the system PIN and press **OK**

**Yes** Press the display key.

## Connecting the base to the PABX

---

The following settings are only necessary if your PABX requires them; see the PABX user guide.

You cannot send or receive SMS messages on PABXs that do not support Calling Line Identification.

- **Dialling modes and recall**

The current setting is indicated by .

### Changing the dialling mode

---



The following dialling modes can be selected:

- U Tone dialling (DTMF)
- U Pulse dialling (PD)
- √   **Telephony**  **Dialling Mode**
- S Select dialling mode and press  (  = selected).

### Setting recall

---




Your phone is preset at the factory for operation on the main connection. For operation on a PABX, you may have to change this value. Please refer to the user guide for your PABX.


- √   **Telephony**  **Recall**
  - S Select recall and press  (  = set value).
- Possible values are:
- 80 ms, 100 ms, 120 ms, 180 ms,
  - 250 ms, 300 ms, 400 ms, 600 ms,
  - 800 ms.

- **Saving an access code (outside line code)**


---

**Prerequisite:** You may have to enter an access code in front of the number for external calls in your PABX, e.g., "0":

- √   **Telephony**  **Access Code**
- ~ Enter or change access code, max. 3 digits.

 Press the display key.

If an access code has been saved:

- U The access code is prefixed automatically when you dial a number from the following lists: SMS centre numbers, call lists or answering machine list.
- U The access code must be entered when dialling manually and when manually entering directory, emergency/quick dial numbers or SMS centre numbers.
- U If you copy the recipient's number from the directory when sending an SMS, you have to delete the access code.
- U An existing access code is deleted using  **C**.



Connecting the base to the PABX

---

## Setting pauses

---

### Changing the pause after line seizure

You can change the length of the pause that is inserted between pressing the talk key C and sending the number.

- V Open the main menu.
- \* #  5 #  L  
Press keys.
- ~ Enter number for the length of the pause (**1** = 1 sec.; **2** = 3 secs.; **3** = 7 secs.) and press **{OK}**

---

### Change pause after recall key

---

You can change the length of the pause if your PABX requires this (refer to the user guide for your PABX).

- V Open the main menu.
- \* #  5 #  2  
Press keys.
- ~ Enter a number for the length of the pause (**1** = 800 ms; **2** = 1600 ms; **3** = 3200 ms) and press **{OK}**

---

### Changing a dialling pause (pause after access code)

---

**Prerequisite:** You have saved an access code (**F** page 71).

- V Open the main menu.
- \* #  5 #    
Press keys.
- ~ Enter number for the length of the pause  
(**1** = 1 sec.; **2** = 2 secs.; **3** = 3 secs.; **4** = 6 secs.) and press **{OK}**

**To insert a dialling pause:** press and hold **S** for 2 seconds. A P appears in the display.

---

## Switching temporarily to tone dialling (DTMF)

---

If your PABX still operates with pulse dialling (PD), but you need tone dialling for a connection (e.g. to listen to the network mailbox), you must switch to tone dialling for the call.

**Prerequisite:** You are conducting a call or have already dialled an external number.

- \* Press the star key.
- After the call ends, pulse dialling is automatically activated again.

## Customer Service & Assistance

---

You have questions? As a Gigaset customer, you can take advantage of our comprehensive service offerings. You can find help quickly in this User Manual and in the service pages of our Gigaset online portal.

Please register your phone right after purchase on [www.gigaset.com/uk/service](http://www.gigaset.com/uk/service)

thus enabling us to provide you even better service in case of questions or in case of a warranty claim. Your personal user account enables you to directly contact our customer service by email.

In our constantly updated online service on [www.gigaset.com/uk/service](http://www.gigaset.com/uk/service) you can find:

- U Extensive information about our products
- U FAQ compilations
- U Keyword search to help find topics quickly
- U Compatibility database: Find out which base stations and handsets can be combined.
- U Product comparison: Compare the features of several products with each other.
- U Downloads for user manuals and current software updates
- U E-mail contact form for customer service

Our service representatives are available on the **telephone** for more advanced questions or in-person consultation.

**Here you can get competent advice on questions regarding installation, operation and configuration:**

**UK: 0845 367 0812**

(local call cost charge)

Please note that if the Gigaset product is not sold by authorized dealers in the national territory the product may not be fully compatible with the national telephone network. It is clearly mentioned on the box near to the CE mark as well as on the bottom of the base station for which country/countries the equipment has been developed for. If the equipment is used in a manner inconsistent with this advice, with the instructions of the manual and on the product itself, this may have implications on the conditions for warranty or guarantee claims (repair or exchange of product).

In order to make use of the warranty, the product purchaser is asked to submit a receipt which proves the date of purchase (date from which the warranty period starts) and the type of goods that have been purchased.

## Questions and answers

If you have any questions about the use of your phone, you can contact us 24/7 at [www.gigaset.com/customercare](http://www.gigaset.com/customercare).

The table below contains a list of common problems and possible solutions.

<p><b>The display is blank.</b></p> <ol style="list-style-type: none"> <li>1. The handset is not switched on. ✘ Press and hold the end call key <math>\bar{\text{a}}</math>.</li> <li>2. The battery is empty. ✘ Charge the battery or replace it (page 12).</li> </ol>
<p><b>Not all menu items are displayed.</b></p> <p>The menu display is restricted (standard mode). ✘ Activate extended menu display (expert mode ●) (page 25).</p>
<p><b>No Base flashes on the display.</b></p> <ol style="list-style-type: none"> <li>1. The handset is outside the range of the base. ✘ Move the handset closer to the base.</li> <li>2. The base's range is reduced because Eco Mode is activated. ✘ Deactivate Eco Mode (page 54) or reduce the distance between the handset and the base.</li> <li>3. The base is not switched on. ✘ Check the base power adapter (page 10).</li> </ol>
<p><b>Please register handset flashes on the display.</b></p> <p>Handset has not been registered with the base or has been deregistered. ✘ Register the handset (page 58).</p>
<p><b>Handset does not ring.</b></p> <ol style="list-style-type: none"> <li>1. The ringtone is deactivated. ✘ Activate the ringtone (page 66).</li> <li>2. Call divert set for "All Calls". ✘ Deactivate call divert (page 31).</li> <li>3. The phone only rings if the phone number has been transferred. ✘ Switch on the ringtone for unknown calls (page 66).</li> </ol>

**You cannot hear a ringtone/dialling tone from the fixed line network.**

The phone cord supplied has not been used or has been replaced by a new cord with the wrong pin connections.

✘ Please always use the phone cord supplied or ensure that the pin connections are correct when purchasing from a retailer (page 10).

**Error tone sounds after system PIN prompt.**

You have entered the wrong system PIN.

✘ Reset the system PIN to 0000 (page 70).

**Forgotten the system PIN.**

✘ Reset the system PIN to 0000 (page 70).

**The other party cannot hear you.**

You have pressed the mute button  $\bar{\text{h}}$ . The handset is "muted".

✘ Reactivate the microphone (page 29).

**The number of the caller is not displayed despite CLIP.**

Calling Line Identification is not enabled.

✘ The caller should ask the network provider to enable Calling Line Identification (CL).

**You hear an error tone when keying an input (a descending tone sequence).**

Action has failed/invalid input.

✘ Repeat the operation.

✘ Watch the display and refer to the user guide if necessary.

**You cannot listen to messages on the network mailbox.**

Your PABX is set for pulse dialling.

✘ Set your PABX to tone dialling.

### Gigaset S795 only:

**No time is specified for a message in the call list.**

Date and time have not been set.

✘ Set the date and time (page 15).

**The answering machine announces "PIN is incorrect" during remote operation.**

1. You have entered the wrong system PIN.

✘ Enter the system PIN again.

2. The system PIN is still set to 0000.

✘ Set the system PIN to something other than 0000 (page 70).

The answering machine is not recording any messages/has switched over to answer only.

⚠ Its memory is full.

⚠ Delete old messages.

⚠ Play back new messages and delete.

### Exclusion of liability

Some displays may contain pixels (picture elements), which remain activated or deactivated. As a pixel is made up of three sub-pixels (red, green, blue), it is possible that pixel colours may vary.

This is completely normal and does not indicate an error.

## Authorisation

This device is intended for analogue phone lines in the UK.

Country-specific requirements have been taken into consideration.

We, Gigaset Communications GmbH, declare that this device meets the essential requirements and other relevant regulations laid down in Directive 1999/5/EC.

A copy of the 1999/5/EC Declaration of Conformity is available at this Internet address:

[www.gigaset.com/docs](http://www.gigaset.com/docs)

☎ 0682

## Guarantee Certificate

### United Kingdom

Without prejudice to any claim the user (customer) may have in relation to the dealer or retailer, the customer shall be granted a manufacturer's Guarantee under the conditions set out below:

U In the case of new devices and their components exhibiting defects resulting from manufacturing and/or material faults within 24 months of purchase, Gigaset

Communications shall, at its own option and free of charge, either replace the device with another device reflecting the current state of the art, or repair the said device. In respect of parts subject to wear and tear (including but not limited to, batteries, keypads, casing), this warranty shall be valid for six months from the date of purchase.

U This Guarantee shall be invalid if the device defect is attributable to improper treatment and/or failure to comply with information contained in the user guides.

U This Guarantee shall not apply to or extend to services performed by the authorised dealer or the customer themselves (e. g. installation, configuration, software downloads). User guides and any software supplied on a separate data medium shall be excluded from the Guarantee.

U The purchase receipt, together with the date of purchase, shall be required as evidence for invoking the Guarantee. Claims under the Guarantee must be submitted within two months of the Guarantee default becoming evident.

U Ownership of devices or components replaced by and returned to Gigaset Communications shall vest in Gigaset Communications.

U This Guarantee shall apply to new devices purchased in the European Union. For Products sold in the United Kingdom the Guarantee is issued by: Gigaset Communications UK Limited, Faraday House, Sir William Siemens Square, Frimley, Camberley, Surrey, GU16 8QD.

U Any other claims resulting out of or in connection with the device shall be excluded from this Guarantee. Nothing in this Guarantee shall attempt to limit or exclude a Customers Statutory Rights, nor the manufacturer's liability for death or personal injury resulting from its negligence.

### Protecting our environment

- U The duration of the Guarantee shall not be extended by services rendered under the terms of the Guarantee.
  - U Insofar as no Guarantee default exists, Gigaset Communications reserves the right to charge the customer for replacement or repair.
  - U The above provisions does not imply a change in the burden of proof to the detriment of the customer.
- To invoke this Guarantee, please contact the Gigaset Communications telephone service. The relevant number is to be found in the accompanying user guide.

## Protecting our environment

---

### Our environmental mission statement

We, Gigaset Communications GmbH, bear social responsibility and are actively committed to a better world. Our ideas, technologies and actions serve people, society and the environment. The aim of our global activity is to secure sustainable life resources for humanity. We are committed to a responsibility for our products that comprises their entire life cycle. The environmental impact of products, including their manufacture, procurement, distribution, use, service and disposal, are already evaluated during product and process design.

Further information on environmentally friendly products and processes is available on the Internet at [www.gigaset.com](http://www.gigaset.com).

### Environmental management system

---



Gigaset Communications GmbH is certified pursuant to the international standards EN 14001 and ISO 9001.

**ISO 14001 (Environment):** certified since September 2007 by TÜV SÜD Management Service GmbH.

**ISO 9001 (Quality):** certified since 17/02/1994 by TÜV SÜD Management Service GmbH.

### Ecological energy consumption

---


The use of ECO DECT (☎ page 54) saves energy and makes an active contribution towards protecting the environment.

### Disposal

---

Batteries should not be disposed of in general household waste. Observe the local waste disposal regulations, details of which can be obtained from your local authority.

All electrical and electronic products should be disposed of separately from the municipal waste stream via designated collection facilities appointed by the government or the local authorities.



This crossed-out wheeled bin symbol on the product means the product is covered by the European Directive 2002/96/EC.

The correct disposal and separate collection of your old appliance will help prevent potential negative consequences for the environment and human health. It is a precondition for reuse and recycling of used electrical and electronic equipment.

For more detailed information about disposal of your old appliance, please contact your local council refuse centre or the original supplier of the product.

## Appendix

### Caring for your telephone

Wipe the device with a **damp cloth** or an **antistatic cloth**. Do not use solvent or a microfibre cloth.

Impairments in the high-gloss finish can be carefully removed using display polishes for mobile phones.

Never use a dry cloth as this can cause static.

### Contact with liquid



If the device comes into contact with liquid:

1. **Unplug the power supply and/or remove the battery** from the handset **immediately**.
2. Allow the liquid to drain from the device.
3. Pat all parts dry. Place the device (hand-set with the battery compartment open and the keypad facing down) in a dry, warm place **for at least 72 hours (not in a microwave, oven etc.)**.
4. **Do not switch on the device again until it is completely dry**.

When it has fully dried out, you will normally be able to use it again.

### Specifications

#### Batteries

Technology:

Nickel-metal-hydride (NiMH)

Size: AAA (Micro, HR03)

Voltage: 1.2 V

Capacity: 550 - 1000 mAh

The device is supplied with two approved batteries.

### Handset operating times/charging times

This Gigaset can charge batteries up to a capacity of 1000 mAh. The use of special high-performance batteries or batteries with high capacities is not recommended for cordless phones.

The operating time of your Gigaset depends on the capacity and age of the batteries and the way they are used. (All times are maximum possible times).

	Capacity (mAh) approx.			
	550	700	800	1000
Standby time (hours)*	140/ 50	165/ 58	185/ 67	230/ 83
Talktime (hours)	11	12	14	17
Operating time for 1.5 hrs of calls per day (hours)**	85	95	110	135
Charging time in base (hours)	7,5	8,5	10	12
Charging time in charger (hours)	6,5	7,5	8,5	10,5

\* without/with display backlight

\*\* without display backlight  
(Setting the display Backlight  page 64)

Due to the constant progression in battery development, the list of recommended batteries in the FAQ section of the Gigaset Customer Care pages is regularly updated:

[www.gigaset.com/customercare](http://www.gigaset.com/customercare)

## Base power consumption


In standby mode:  
 Gigaset S790: approx. 1.1 watt  
 Gigaset S795: approx. 1.2 watt

During the conversation:  
 Gigaset S790: approx. 1.0 watt  
 Gigaset S795: approx. 1.1 watt

## General specifications

DECT standard	Is supported
GAP standard	Is supported
No. of channels	60 duplex channels
Radio frequency range	1880–1900 MHz
Duplex method	Time multiplex, 10 ms frame length
Channel grid	1728 kHz
Bit rate	1152 kbit/s
Modulation	GFSK
Language code	32 kbit/s
Transmission power	10 mW, average power per channel
Range	Up to 300 m outdoors, up to 50 m indoors
Base power supply	230 V ~/50 Hz
Environmental conditions in operation	+5°C to +45°C, 20% to 75% relative humidity
Dialling mode	DTMF (tone dialling)/ PD (pulse dialling)

## Pin connections on the telephone jack



## Writing and editing text

The following rules apply when writing text:

- U Each key between and is assigned several letters and characters.
- U Control the cursor with U V T S .  
Press and hold U or V to move the cursor **word by word**.
- U Characters are inserted at the cursor position.
- U Press the star key \* to display the table of special characters. Select the required character and press the display key to insert the character at the cursor position.
- U Press and hold to enter digits.
- U Press display key to delete the **character** to the left of the cursor. Press and hold to delete the **word** to the left of the cursor.
- U The first letter of the name of directory entries is automatically capitalised, followed by lower case letters.

## Setting upper/lower case or digits

Repeatedly press the hash key # to change the text input mode.

123	Writing digits
Abc	Upper case *
abc	Lower case

\* First letter in capitals, all others in lower case

The active mode is indicated at the bottom right of the screen.

## Writing an SMS/names

✘ Enter the individual letters/characters by pressing the corresponding key.

The characters assigned to the key are shown in a selection line at the bottom left of the screen. The selected character is highlighted.

✘ **Briefly** press the key several times in succession to select the required letter/character.

### Standard characters

1x	2x	3x	4x	5x	6x	7x	8x	9x	10x
		1							
2	a	b	c	2	ä	å	å	å	ç
3	d	e	f	3	è	é	è	è	
4	g	h	i	4	i	l	l	ï	
5	j	k	l	5					
L	m	n	o	6	ö	ñ	ó	ô	õ
M	p	q	r	s	7	ß			
N	t	u	v	8	ù	ú	ú	û	
O	w	x	y	z	9	ÿ	ý	æ	ø
O	.	,	?	!	0				ã

- 1) Space
- 2) Line break

## Additional functions via the PC interface

To enable your handset to communicate with the PC, the "Gigaset QuickSync" program must be installed on your PC (free to download at [www.gigaset.com/gigaset/290](http://www.gigaset.com/gigaset/290)).

After installing "Gigaset QuickSync", connect the handset to your computer using a USB data cable (☛ page 17).

### Please note

Please connect your handset **directly** to the PC; do **not** connect via a USB hub.

### Transferring data

Start the "Gigaset QuickSync" program. You can now:

- U Synchronise your handset directory with Outlook
- U Download caller pictures (.bmp) from the computer to the handset.
- U Download pictures (.bmp) as a screen-saver from the computer to the handset.
- U Download sounds (ringtones) from the computer to the handset.

During the transfer of data between handset and PC, you will see **Data transfer in progress** on the display. During this time the keypad is disabled, and incoming calls will be ignored.



## Additional functions via the PC interface

### Completing a firmware update

- ❑ Connect your phone to your PC using a **USB data cable** (☞ page 17).
- ❑ Start the "**Gigaset QuickSync**" program on your PC.
- ❑ Establish a connection to your handset.
- ❑ Select **[Settings]** ☞ **[Device properties]** to open the **[Device]** tab.
- ❑ Click on **[Firmware update]**.

This launches the firmware update.

The update process can take up to 10 minutes (not including the download time). **Do not interrupt the process or remove the USB data cable.**

The data is initially loaded from the update server on the Internet. The amount of time this takes is dependent on the speed of your Internet connection.

The display on your phone is switched off and the message key **F** and the talk key **C** start flashing.

Once the update is complete, your phone will automatically restart.

#### Procedure in case of an error

If the update procedure fails or your phone does not work properly following the update, repeat the update procedure as follows:

- ❑ Close the "**Gigaset QuickSync**" program on the PC.
- ❑ Remove the USB data cable from the telephone.
- ❑ Remove the battery (☞ page 12).
- ❑ Replace the battery.
- ❑ Complete the firmware update as described.

If the update procedure fails several times or you can no longer connect to the PC, proceed as follows (**emergency update**):

- ❑ Close the "**Gigaset QuickSync**" program on the PC.
- ❑ Remove the USB data cable from the telephone.
- ❑ Remove the battery (☞ page 12).

- ❑ Press and hold keys **4** and **L** with the index and middle finger.



- ❑ Replace the battery.
- ❑ Release keys **4** and **L**. The message key **F** and the talk key **C** will flash alternately.
- ❑ Complete the firmware update as described.

#### Please note

Personal pictures and sounds that you have loaded to your handset should always be saved on your PC as they will be deleted during an **emergency update**.

## Accessories

---

### Gigaset handsets

Upgrade your Gigaset to a cordless PABX:

#### Gigaset S79H handset

- U Illuminated graphic colour display (65K colours)
- U Illuminated keypad
- U Speaker mode
- U Polyphonic ringtones
- U Directory for approx. 500 entries
- U Caller picture
- U SMS (prerequisite: CLIP must be enabled)
- U PC interface, e.g., for managing directory entries, ringtones and screensavers
- U Headset socket
- U Room monitor

[www.gigaset.com/gigasetS79h](http://www.gigaset.com/gigasetS79h)



#### Gigaset C59H handset

- U Illuminated graphic colour display (65K colours)
- U Illuminated keypad
- U Speaker mode
- U Polyphonic ringtones
- U Directory for approx. 150 entries
- U SMS (prerequisite: CLIP must be enabled)
- U Headset socket
- U Room monitor

[www.gigaset.com/gigasetC59h](http://www.gigaset.com/gigasetC59h)



### **Gigaset SL78H handset**

- U Illuminated graphic colour display (256k colours)
- U Illuminated keypad
- U Speaker mode
- U Polyphonic ringtones
- U Directory for approx. 500 entries
- U Caller picture
- U SMS (prerequisite: CLIP must be enabled)
- U PC interface, e.g., for managing directory entries, ringtones and screensavers
- U Room monitor

[www.gigaset.com/gigasetSL78h](http://www.gigaset.com/gigasetSL78h)



### **Gigaset S67H/S68H handset**

- U Illuminated graphic colour display (65k colours)
- U Illuminated keypad
- U Speaker mode
- U Polyphonic ringtones
- U Directory for approx. 250 entries
- U Caller picture
- U SMS (prerequisite: CLIP must be enabled)
- U Headset socket
- U Bluetooth (Gigaset S68H only)
- U Room monitor

[www.gigaset.com/gigasetS67h](http://www.gigaset.com/gigasetS67h)



### **Gigaset SL37H handset**

- U Illuminated graphic colour display (65k colours)
- U Illuminated keypad
- U Speaker mode
- U Polyphonic ringtones
- U Directory for approx. 250 entries
- U Caller picture
- U SMS (prerequisite: CLIP must be enabled)
- U PC interface, e.g., for managing directory entries, ringtones and screensavers
- U Headset socket
- U Bluetooth
- U Room monitor
- U Walky-talky function

[www.gigaset.com/gigasetSL37h](http://www.gigaset.com/gigasetSL37h)



### **Gigaset repeater**

The Gigaset repeater can be used to increase the reception range between your Gigaset handset and the base.

[www.gigaset.com/gigasetrepeater](http://www.gigaset.com/gigasetrepeater)



All accessories and batteries are available from your phone retailer.




Use only original accessories. This will avoid possible health risks and personal injury, and also ensure that all the relevant regulations are complied with.

Mounting the base on the wall (Gigaset S790 only)

## Mounting the base on the wall (Gigaset S790 only)

---




Approx.  
5.5 mm



## Mounting the charger on the wall

---



Approx.  
4 mm



## Index

---

## Index

- A**
- Access code ..... 71
  - for a PABX ..... 71
  - Access protection ..... 70
  - Accessories ..... 81
  - Acknowledge tones ..... 68
  - Activating
    - advisory tones ..... 68
    - answering machine ..... 47
    - answering machine
      - (remote operation) ..... 52
    - appointment ..... 55
    - handset ..... 22
    - keypad lock ..... 22
    - listening in ..... 60
    - muting ringtone ..... 41
    - ring delay ..... 64
    - room monitor ..... 61
    - two-way record ..... 50
  - Advisory tones ..... 68
  - Alarm clock ..... 57
  - Alert tone ..... 67
  - Anniversary ..... 34
    - deactivating ..... 35
    - missed ..... 38, 56
    - saving in the directory ..... 34
  - Announcement (answering machine) ... 48
  - Anonymous calling ..... 30
  - Answer only mode (answering machine) ..... 47
  - Answering machine ..... 47
    - activating/deactivating ..... 47
    - deleting messages ..... 49
    - list ..... 36, 37
    - playing back messages ..... 48
      - recording a personal announcement/advisory message ..... 47
      - remote operation ..... 51
      - scrolling back ..... 49
      - scrolling forward ..... 49
    - Answering machine, see also Network mailbox
  - Appointment ..... 55
- B**
- Appointment/anniversary
    - display missed ..... 56
  - Appointments
    - activating/deactivating ..... 56
    - deleting ..... 56
    - managing ..... 56
  - Area code
    - setting own area code ..... 68
  - Assigning a number key ..... 62
  - Authorisation ..... 75
  - Automatic
    - network provider preselection ..... 38
    - redial ..... 36
    - ring delay ..... 28, 64
- B**
- Backlight
  - keypad ..... 64
- Base
- changing ..... 59
  - connecting ..... 10
  - connecting to PABX ..... 71
  - restoring to factory settings ..... 70
  - setting ringtone ..... 69
  - setting up ..... 10
  - settings ..... 69
  - system PIN ..... 70
- Battery
- charging ..... 2, 3, 14
  - display ..... 2, 3
  - icon ..... 2, 3
  - inserting ..... 12
  - tone ..... 68
- Best base ..... 59
- Birthday, see Anniversary
- C**
- Calendar ..... 55
  - Call
    - accepting ..... 28
    - connect participant ..... 60
    - ending ..... 28
    - external ..... 28
    - internal ..... 59
    - make anonymous call ..... 30
    - picking up from answering machine ..... 49

## Index

transferring (connecting) ..... 59, 60  
two-way record ..... 50  
Call divert ..... 31  
Call duration ..... 28  
Call lists ..... 36  
Call screening during recording ..... 50  
Call swap ..... 31  
Call waiting  
    accepting/rejecting ..... 30  
    activating/deactivating ..... 30  
    external call ..... 30  
    internal call ..... 60  
Call-by-call ..... 38  
Caller Picture ..... 32, 67  
Calling  
    anonymously ..... 30  
    external ..... 28  
    internal ..... 59  
Calling Line Identification ..... 28  
cancel once ..... 30  
Cancelling  
    preselection ..... 39  
CD, see Call divert  
Changing  
    destination number  
        (room monitor) ..... 62  
    dialling mode ..... 71  
    display language ..... 63  
    earpiece volume ..... 65  
    internal number of a handset ..... 61  
    name of a handset ..... 60  
    pauses ..... 72  
    ringtone ..... 65, 69  
    speaker volume ..... 65  
    system PIN ..... 70  
Character set ..... 41, 42, 79  
Charge status display ..... 2, 3  
CLI, CLIP ..... 28  
CLR ..... 30  
Colour scheme ..... 64  
Conference  
    internal ..... 59  
Confirmation tone ..... 68  
Connecting  
    base to PABX ..... 71  
    headset ..... 17  
    consultation call ..... 31  
    internal ..... 59  
Control key ..... 2, 19  
Correcting incorrect entries ..... 20

Customer Care ..... 73  
Customer Service & Assistance ..... 73

## D

Deactivating  
    advisory tones ..... 68  
    answering machine ..... 47  
    appointment ..... 55  
    handset ..... 22  
    keypad lock ..... 22  
    listening in ..... 60  
    muting ringtone ..... 41  
    ring delay ..... 64  
    room monitor ..... 62  
    two-way record ..... 50  
Delete key ..... 20  
Deleting  
    announcement for answering  
        machine ..... 48  
    characters ..... 20  
    message ..... 49  
De-registering (handset) ..... 58  
Destination number (room monitor) ..... 61  
Dialling  
    using quick dial ..... 34, 62  
    using the directory ..... 33  
Dialling mode ..... 71  
Dialling pause ..... 72  
Directory ..... 32  
    copying number from text ..... 34  
    managing entries ..... 33  
    opening ..... 19  
    order of entries ..... 33  
    saving anniversary ..... 34  
    saving entry ..... 32  
    saving sender's (SMS) number ..... 42  
    sending entry/list to handset ..... 34  
    using to enter numbers ..... 34  
Display  
    backlight ..... 64  
    changing display language ..... 63  
    colour scheme ..... 64  
    directory memory ..... 34  
    in idle status ..... 16, 22  
    memory (resource directory) ..... 67  
    missed anniversaries ..... 38  
    missed appointments/  
        anniversaries ..... 56  
    network mailbox message ..... 53  
    number (CLI/CLIP) ..... 28

- screensaver ..... 63
  - setting ..... 63
  - slide show ..... 63
  - Display keys ..... 2, 20
  - assigning ..... 62
  - Disposal ..... 76
  - Draft message list (SMS) ..... 41
- E**
- Earpiece volume ..... 65
  - ECO DECT ..... 54
  - Eco mode ..... 54
  - Eco mode+ ..... 54
  - E-mail address
    - copying from the directory ..... 34
  - End call key ..... 2, 28
  - Ending, call ..... 28
  - Entry
    - saving, changing (preselection) ..... 39
    - selecting from directory ..... 33
  - Environment ..... 76
  - Error tone ..... 68
  - Expert mode ..... 25, 74
  - External call
    - call waiting ..... 30
    - forwarding to ans. mach. .... 50
- F**
- Fast access
    - answering machine ..... 51
    - network mailbox ..... 53
  - Firmware update ..... 80
- G**
- General troubleshooting ..... 74
  - Group call ..... 59
  - Guarantee Certificate ..... 75
- H**
- Handset
    - activating/deactivating ..... 22
    - advisory tones ..... 68
    - changing internal number ..... 61
    - changing name ..... 60
    - changing the number ..... 61
    - changing to a different base ..... 59
    - changing to best reception ..... 59
    - colour scheme ..... 64
  - contact with liquid ..... 77
  - de-registering ..... 58
  - display backlight ..... 64
  - display language ..... 63
  - earpiece volume ..... 65
  - idle status ..... 22
  - keypad backlight ..... 64
  - large font ..... 64
  - list ..... 19
  - locating ..... 58
  - muting ..... 29
  - paging ..... 58
  - registering ..... 58
  - registering to a different base ..... 59
  - restoring to factory settings ..... 68
  - screensaver ..... 63
  - set up for use ..... 12
  - setting ..... 62
  - speaker volume ..... 65
  - transferring a call ..... 59
  - using multiple ..... 58
  - using room monitor ..... 61
  - Handset mode ..... 29
  - Handset operating time
    - in room monitor mode ..... 61
  - Handsfree
    - set profile ..... 65
  - Handsfree profile ..... 65
  - Hash key ..... 2, 22
  - Headset socket ..... 17
  - Hearing aids ..... 8
  - Help ..... 74
- I**
- Icon
    - alarm clock ..... 57
    - answering machine ..... 47, 50
    - for new messages ..... 37
    - keypad lock ..... 22
    - new message ..... 48
    - new SMS ..... 41
    - ringtone ..... 66
    - idle status (display) ..... 16, 22
    - idle status, returning to ..... 22
    - Incoming message list (SMS) ..... 41
    - Incorrect entries (correction) ..... 20
    - Installing, base ..... 10



## Index

Internal  
conference ..... 59  
consulting ..... 59  
listening in ..... 60  
making calls ..... 59  
Internal call ..... 59  
call waiting ..... 60

**K**  
Key  
assigning to a function or  
number ..... 62  
Key 1 (fast access) ..... 2, 51  
Keypad backlight ..... 64  
Keypad lock ..... 22  
Keys  
control key ..... 2, 19  
delete key ..... 20  
display keys ..... 2, 20  
end call key ..... 2, 28  
fast access ..... 2, 51  
hash key ..... 2, 22  
message key ..... 2  
mute key ..... 2  
on/off key ..... 2  
quick dial ..... 34  
recall key ..... 2  
side keys ..... 2  
speaker key ..... 2  
star key ..... 2  
talk key ..... 2, 28

**L**  
Language, display ..... 63  
Large font ..... 64  
Linking, see SMS  
List  
answering machine ..... 36, 37  
call lists ..... 36  
handsets ..... 19  
missed calls ..... 36  
network mailbox ..... 37  
SMS draft message list ..... 41  
SMS incoming message list ..... 41  
SMS list ..... 37  
Listening in to a call ..... 60  
Locating, handset ..... 58  
Lock  
activating/deactivating keypad lock ... 22

## M

Mailbox ID, see SMS  
Mailboxes, see SMS  
Making calls  
accepting a call ..... 28  
cost-effective calls ..... 38  
external ..... 28  
internal ..... 59  
Manual redial ..... 35  
Medical equipment ..... 8  
Memory  
directory ..... 34  
resource directory ..... 67  
Menu  
end tone ..... 68  
opening ..... 19  
overview ..... 25  
using ..... 21  
Menu display  
expert mode ..... 25, 74  
standard mode ..... 25, 74  
Message key  
open list ..... 41  
opening lists ..... 37  
Messages ..... 47  
copying the number to the  
directory ..... 49  
deleting ..... 49  
key ..... 2  
marking as "new" ..... 49  
new message icon ..... 48  
playing back ..... 48  
Microphone ..... 2  
Missed  
anniversary ..... 56  
appointment ..... 56  
Missed calls ..... 36  
Music on hold ..... 69  
Mute key ..... 2  
Muting  
first ringtone ..... 41  
handset ..... 29

**N**  
Name  
of a handset ..... 60  
Network mailbox ..... 53  
Network provider preselection,

## Index

- automatic..... 38
  - Network services..... 30
  - Notification via SMS ..... 43
  - Number
    - as destination for room monitor..... 61
    - copying from an SMS text..... 43
    - copying from directory ..... 34
    - copying to the directory..... 34
    - displaying caller's number (CLIP) ..... 28
    - entering with directory ..... 34
    - saving in directory ..... 32
- O**
- On/Off key..... 2
  - Operating remotely ..... 51
  - Order in directory..... 33
- P**
- PABX
- connecting base ..... 71
  - pauses ..... 72
  - saving access code ..... 71
  - setting dialling mode..... 71
  - setting recall..... 71
  - SMS..... 45
  - switching to tone dialling..... 72
  - Package contents ..... 9
  - Paging ..... 58
  - Pause
    - after access code..... 72
    - after line seizure ..... 72
    - after recall key ..... 72
    - PC interface ..... 79
    - PD (pulse dialling)..... 71
  - Picture
    - Caller ..... 32, 67
    - deleting..... 67
    - renaming..... 67
  - PIN change
    - system PIN ..... 70
- Pin connections..... 78
  - Playing back
    - announcement (answering machine)..... 48
    - message (answering machine) ..... 48
  - Power adapter ..... 8
  - Power consumption..... 78
  - Preselection ..... 38
  - canceling..... 39
  - Protecting the phone against access..... 70
  - Pulse dialling ..... 71
- Q**
- Questions and answers ..... 74
  - Quick dial ..... 32, 62
- R**
- Range..... 10
  - Recall ..... 71
  - Recall key..... 2, 72
  - Reception booster, see Repeater
  - Recording
    - quality ..... 50
    - time ..... 50
    - two-way record ..... 50
  - Redial ..... 35
  - Redirect, see Call divert
  - Registering (handset)..... 58
  - Reminder call ..... 35
  - Repeater ..... 69
  - Resource directory ..... 67
  - Ring delay..... 50, 64
  - Ringback ..... 30
  - Ringtone
    - changing..... 65, 69
    - muting..... 41
    - setting volume ..... 65, 69
  - Ringtone deactivated for unknown call ..... 66
  - Room monitor ..... 61

## Index

- S**
- Saving (access code)..... 71
  - Screensaver..... 63
  - Search directory ..... 33
  - Sending
    - directory entry to handset ..... 34
  - Sensitivity (room monitor) ..... 62
  - Setting the date..... 15, 27
  - Setting the time..... 15, 27
  - Setting up
    - handset..... 12
  - Slide keys ..... 2
  - Signal tone, see Advisory tones
  - Slide show..... 63
  - SMS..... 40
    - active send service centre..... 44
    - changing mailbox..... 44
    - deleting..... 41, 42
    - draft message list ..... 41
    - forwarding ..... 42
    - Incoming message list..... 41
    - linked..... 40
    - list..... 37
    - mailbox ID..... 43
    - mailboxes..... 43
    - notification by SMS..... 43
    - PIN protection ..... 44
    - reading ..... 41, 42
    - receiving..... 41
    - replying to or forwarding ..... 42
    - saving number..... 42
    - self help with error messages ..... 46
    - sending to a personal mailbox ..... 44
    - to PABXs ..... 45
    - troubleshooting ..... 46
    - vCard..... 43
    - writing..... 40, 78
  - SMS centre
    - changing number..... 45
    - setting..... 44
  - Snooze mode..... 57
  - Sound, see Ringtone
  - Speaker
- key ..... 2
- mode..... 29
- Special functions..... 71
- Specifications..... 77
- Standard mode ..... 25, 74
- Star key ..... 2
- System settings ..... 70
- T**
- Talk key ..... 2, 28
  - Telephone jack, pin connections..... 78
  - Text message, see SMS
  - Tone dialling..... 71, 72
  - Troubleshooting (SMS) ..... 46
- U**
- Unknown..... 29
  - Unknown caller..... 29
  - Update..... 80
  - USB connection..... 17
- V**
- vCard (SMS)..... 43
  - Viewing the network mailbox message ..... 53
  - Volume
    - earpiece..... 65
    - handset speaker volume..... 65
    - loudspeaker ..... 65
    - ringtone ..... 65, 69
- W**
- Warning tone, see Advisory tones
  - Writing (SMS)..... 40
  - Writing and editing text ..... 78













